



Spear & Jackson Brand Heritage

THE TOOLS TO TRUST

Spear & Jackson was founded in the City of Sheffield which is famous for the production of steel, cutlery and hand tools and continues to be our home over 250 years later.

In 1889, James Neill formed his own company adopting the Eclipse brand name. Initially manufacturing steel, he moved on to manufacture machine knives, woodworking tools and hacksaw blades, for which the company is best known.

The Spear & Jackson range was developed independently of Eclipse branded products until 1985 when James Neill acquired the Spear & Jackson group, subsequently renaming the company as Spear & Jackson.

The Spear & Jackson brand is probably best known in the UK for our unparalleled offering of quality ranges of garden digging and cultivating tools and cutting tools, all of which are designed to appeal to all levels of garden expertise and budget.

As you would expect with over 250 years of experience, the Spear & Jackson ground work product offering has widened to accommodate natural product extensions such as contractors shovels and rakes, agricultural tools and landscaping products.

Spear & Jackson hand tools developed alongside our ground work ranges and include tools for DIY and professional use, with our market leading "Predator" branded woodsaws being the first range to be application lead, giving users the most appropriate saw for the task.

We also sell a wide range of builder's tools and accessories with prices and qualities to suit all levels of expertise including the well known Tyzack brand of professional brick laying and plasterer's tools.

Spear & Jackson UK is a division of

the Spear & Jackson Group, which also includes within it's other divisions the following brands:

- Moore & Wright
- Eclipse Magnetics
- Bowers
- Baty
- Robert Sorby

Spear & Jackson also have sites in North America, France, China, New Zealand and Australia.

Throughout development of the Spear & Jackson brand, the company has always continued to innovate both in terms of new ideas and applications, using new technologies and combining new and traditional materials to create reliable, superb quality, highly functional tools at affordable prices, creating our enviable reputation as a supplier of **the tools to trust**.




QUICK FACTS



- UK & Export Head office on 10 acre site based in Sheffield, England
- 97,000 ft² warehouse
- Over 3500 tools distributed to both our export and UK customers every week
- Products stocked by a large network of major DIY retailers and merchants











Spear & Jackson

New Products

NEW PRODUCT HIGHLIGHTS

CUTTING

- Compact Topiary Shears
- Garden Wire Cutters see pages 102 & 111







2

GARDEN TIDY

- 3 in 1 Plastic Rake (shown)
- Expanding Lawn Rake
- Ergowide Plastic Leaf Rake
- Astro Turf Brush
- Poop Scoop
- Collapsible Bucket
- Seed Spreader

see pages 168 - 173

3

GIFT SETS

- Nylon Fibreglass
 Secateurs and Loppers Se
- Vintage Bypass
 Secateurs and Snips Set

see pages 163 & 160





SPIRIT LEVELS

- 230mm Pocket Level
- 600, 900 1200 and 2000mm Spirit <u>Levels</u>
- 1200mm I Beam Spirit Level

see pages 58 - 59





CARPENTERS TOOLS

- Smoothing Planes
- Try Squares
- Sliding Bevels
- Marking Gauge
- Mortice Gauge
- Block Plane
- Jack Plane

see pages 16 - 19

PLASTERERS SPATULAS

- Gives a superfine finish
- Easy to replace and clean blades
- Available in three sizes, 600mm, 800mm and 1000mm
- Spare blades available

see page 27









Hand & Contractors Tools

Brand Heritage	P2
New Product Highlights	P4
Woodworking Tools Range	P8
Predator Saws	P9
Professional Woodsaws	P12
Traditional Woodsaws & Accessories	P13
Predator Bow Saws	P14
Carpenters Range	P16
Builders Tools Range	P20
Tyzack Brickwork Trowels	P22
Tyzack Plastering Trowels	P24
Tyzack Drylining & Plastering Accessories	P30
Tyzack Ancillary Tools	P32
S&J Brickwork & Plastering Tools	P34
Mortar Master Trowels	P38
Spear & Jackson Hammers Range	P40
Eclipse Cold Chisels, Wood Chisels and Wrecking Bars Range	P44
Spear & Jackson Screw Drivers Range	P48
Measure, Cut & Mark Range	P52
Tape Measures	P54
Chalk Line	P55
Heavy Duty Stapler/Nail Tacker	P55
Utility Knives & Blades	P56
Spirit Levels	P58
Contractors' Tools Range	P60
Open Socket Shovels	P64
Solid Socket Shovels	P68
Tubular Steel Shovels	P70
Tubular Steel Forks	P73
Strapped Tools	P74
Polyfibre Range	P75
Fibrelite Range	P76
Insulated Range Tarmac & Asphalt Tools	P78 P83
Contractor & Landscaping Tools	P84
Contractor & Editacoaping 1000	104

Garden Tools

Razorsharp	P92	
Secateurs	P93	
Shears	P100	
Loppers	P104	
Bow Saws	P110	
Other Cutting	P111	
Traditional Range	P116	
Neverbend	P124	
Carbon Steel	P124	
Stainless Steel	P130	
Neverbend Professional	P134	
Elements	P136	
Elements Tool Range	P136	
Grow Your Own	P147	
Select	P148	
Stainless Steel	P148	
Carbon Steel	P154	
Colours Range	P156	
Gift Sets	P160	
Garden Tidy	P168	
Watering and Irrigation	P174	
Pump Action Pressure Sprayers and Accessories	P175	
Sprinklers and Sprayers	P178	
Brass Water Fittings	P180	
Landscaping & Fencing Range	P182	
Agricultural Tools	P186	
Agricultural Tools	P187	
Plantation Tools	P191	
Merchandising Options	P194	
Try me Packaging	P195	



Predator Saws

Our range of Predator™ hardpoint saws have been specially developed to meet the needs of even the most demanding professional.

Spear & Jackson began making saws 250 years ago. The wealth of experience gained over this period of time is just one of the many reasons why Spear & Jackson has such a unique reputation.

The **Predator™** range includes saws for four specialist purposes, giving users the most appropriate saw for the task - first fix woodworking, second fix woodworking, laminate, and UPVC cutting. The range also includes our bestselling multi-purpose Universal saw, our Triplefast saw and our Predator X fleam tooth saw. All saws are heat-treated using the very latest technology to ensure outstanding durability and performance.





Predator Saws

Our range of Predator™ hardpoint saws have been specially developed to meet the needs of even the most demanding professional



B98SF - Predator Second Fix Saw

10



B98LAMINATE - Predator Laminate Saw



The soft feel Suregrip® handle and finger guide have been designed to improve cutting accuracy



B98TRIPLE - Predator Triplefast Saw







Professional Woodsaws

Woodworking Tools Traditional Woodsaws & Accessories

Professional woodsaws, designed for various applications, ensuring there is always the right tool for the job!

B98FL00R -**Predator Floorboard Saw**

Specifically designed for cutting flooring, it has a curved end to make starting cutting

- Hand set and sharpened teeth for precision
- · High carbon steel blade
- Comfortable handle Suregrip® soft feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide
- Fleam tooth for cutting along and across the grain on both the forward and reverse stroke



B98FLOOR: 11" x 8pts, Medium Finish, 10 Pack

B9810, B9812 -**Predator Tenon Saws**

Ideal for cutting out a tenon and cutting pelmets, moulding, dowelling, coving, architraves and skirting

- A fine cut with a smooth, clean cutting action
- · Solid steel back for maximum rigidity
- Comfortable handle Suregrip® soft feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide



B9810: 10" x 15pts, Fine Finish, Pack Quantity 10

Predator Toolbox Saw

B9814 -

Ideal for cutting pelmets, mouldings, dowelling, coving, architraves and skirting

- · A fine cut with smooth cutting via push/ pull action
- Rigid blade minimises whip and vibration
- Comfortable handle Suregrip® soft feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide



B9814: 14" x 14pts, Fine Finish, Pack Quantity 10

B9520, B9522 -**Universal Suregrip® Handle Saw**

For general use cutting along and across the grain with a standard finish

Finger rest for both left and right handed users

39952: 22" x 8pts, Medium Finish, Pack Quantity 10

 Comfortable Suregrip® moulded handle incorporating useful 45/90° angle guide



B9420. B9422 -Universal Hard Feel Suregrip® Handle Saw

For general use cutting along and across the grain with a standard finish

- Finger rest for both left and right handed users
- Tough hard feel moulded handle, incorporating useful 45/90° angle guide
- · Precision cross ground teeth for extra sharpness

9540B, 9550B -5410Y -

Our range of traditional Tenon and Skew Back saws with

For joint cutting and sawing small pieces of wood and wood based

- Universal teeth for general use, cuts along and across the grain
- Brass back for maximum rigidity

Traditional Brass Back

traditional wooden handles

- Comfortable, strong wooden handle securely fixed by rivets
- · High carbon steel blade



9540B: 10" x 15pts, Fine Finish, Pack Quantity 5 9550B: 12" x 15pts, Fine Finish, Pack Quantity 5

9500R, 9515K -Traditional Skew

Cuts timber chipboard, plywood and other wood based materials

- Universal teeth for general use, cuts along and across the grain
- · Precision cross ground teeth
- Teeth can be resharpened
- · Skew back for balance and reduced friction · Comfortable wooden handle securely





500R: 22" x 10pts, Medium Finish, Pack Quantity 10

Professional Tenon Saw

Used for joint cutting & sawing small pieces of wood

- Universal teeth for general use, cuts along and across the grain
- Precision cross ground teeth for extra sharpness
- · Solid brass back for maximum rigidity
- · Comfortable wooden handle secured with solid brass screws



5410Y: 10" x 13pts, Fine Finish, Pack Quantity 5

94-370R -**Saw Tooth Setter**

Used for setting teeth on most types of woodsaws



www.spear-and-jackson.com 13



Predator Bow Saws

A range of professional quality Bow Saws available in a variety of sizes and with spare blades for wet or dry cutting

B9821 -21" Predator Bow Saw

- 21" (530mm)
- · Tension adjuster for faster, cleaner cuts for longer
- Soft feel ergonomic handle/hand guard
- Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth)
- Sold fitted with Peg Tooth Blade



B9821TF -21" Taper Front Predator Bow Saw

- Ideal for use in restricted spaces
- · Tension adjuster for faster, cleaner cuts for longer
- Soft feel ergonomic handle/hand guard
- · Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth).
- Sold fitted with Peg Tooth Blade



Spare Blades

Predator Bow Saw Raker Tooth Spare Blades

• 21" (530mm)

Spare Blades

- Ideal for soft/Green wood
- Raker Tooth
- 4PI Carbon steel, hard pointed blade



B9821WETBLADE 21" Raker Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 21" (530mm)
- · Ideal for soft/Green wood
- Raker Tooth
- 4PI Carbon steel, hard pointed blade

B9821DRYBLADE 21" Peg Tooth Bow Saw Blade

B9821WETBLADE 21" Raker Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 21" (530mm)
- Ideal for hard/dry wood
- Peg Tooth

14

• 4PI Carbon steel, hard pointed blade



B9821DRYBLADE 21" Peg Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 21" (530mm)
- Ideal for hard/dry wood
- Peg Tooth
- · 4Pl Carbon steel, hard pointed blade



*Ten Year Guarantee on saw frame only

All sizes feature adjustable tensioning and a one rivet ultra-quick blade change system with adjustable tensioner

B9824 -

24" Predator Bow Saw

- 24" (610mm)
- · Tension adjuster for faster, cleaner cuts for longer
- Soft feel ergonomic handle/hand guard
- Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth)
- Sold fitted with Peg Tooth Blade



B9830 -

30" Predator Bow Saw

- 30" (760mm)
- · Tension adjuster for faster, cleaner cuts for longer
- Soft feel ergonomic handle/hand guard
- Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth)
- · Sold fitted with Peg Tooth Blade



Spare Blades

B9824WETBLADE 24" Raker Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 24" (610mm)
- Ideal for soft/Green wood
- Raker Tooth
- 4PI Carbon steel, hard pointed blade



Spare Blades

B9830WETBLADE 30" Raker Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 30" (760mm)
- · Ideal for soft/Green wood
- Raker Tooth
- 4PI Carbon steel, hard pointed blade



B9824DRYBLADE 24" Peg Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 24" (610mm)
- Ideal for hard/dry wood
- Peg Tooth
- 4PI Carbon steel, hard pointed blade



B9830DRYBLADE 30" Peg Tooth Bow Saw Blade

Predator Bow Saw Raker Tooth Spare Blades

- 30" (760mm)
- Ideal for hard/dry wood
- Peg Tooth
- 4Pl Carbon steel, hard pointed blade



^{*}Ten Year Guarantee on saw frame only



Carpenters' Range



CSP3 - No.3 Smoothing Plane



- Ductile cast iron painted gloss black with ground sides and bottom
- Blade retaining block: Ductile cast iron painted gloss black
- Block Length and Width: 110 x 44 ± 0.5mm screwed to base
- Base Length: 234 ± 2mm
- Base Width: 55 x 38 ± 1mm
- 45mm(w) high carbon steel blade

CSP4 - No.4 Smoothing Plane



- Ductile cast iron painted gloss black with ground sides and bottom
- Base Length: 248 ± 2mm
- Base Width: 63 x 42 ± 1mm
- Blade retaining block: Ductile cast iron painted gloss black
- 50mm(w) high carbon steel blade





Carpenters' Range

CTS6 -6" Try Square

- · Rosewood stained hardwood with brass top and bottom faces
- Base Length: 120 ± 1mm
- Base Depth and Width: $48 \times 18.0 \pm 0.5 \text{mm}$
- Brass Edge Thickness: 3mm
- Spring Steel Blade

CSB75 -

7¹/₂" Sliding Bevel

• Base Length: 136 ± 1mm

26.5 ± 1mm x 18.0 ± 0.5mm

• Brass Edge Thickness: 3mm

Base Depth and Width:

• Spring Steel Blade



CTS9 -9" Try Square

- · Rosewood stained hardwood with brass top and bottom faces
- Base Length: 165 ± 1mm
- Base Depth and Width: 48 x 18.0 ± 0.5mm
- Brass Edge Thickness: 3mm
- Spring Steel Blade



CTS12 -12" Try Square

- · Rosewood stained hardwood with brass top and bottom faces
- Base Length: 203 ± 1mm
- Base Depth and Width: 48 x 18.0 ± 0.5mm
- Brass Edge Thickness: 3mm
- Spring Steel Blade




CSB9 -9" Sliding Bevel

· Rosewood stained hardwood with · Rosewood stained hardwood with brass top and bottom faces brass top and bottom faces

NEW

- Base Length: 162 ± 1mm
- Base Depth and Width: 26.5 ± 1mm x 18.0 ± 0.5mm



CSB105 -10¹/₂" Sliding Bevel

- · Rosewood stained hardwood with brass top and bottom faces
- Base Length: 179 ± 1mm
- Base Depth and Width: 26.5 ± 1mm x 18.0 ± 0.5mm · Brass Edge Thickness: 3mm



CT4PS -**4 Piece Tool Set**

- Durable hardwood handles
- Brass fittings
- · Spring steel blades

Set Contains:

- 9"/230mm Sliding Bevel
- 9"/230mm Carpenter's Set Square
- 8"/200mm Mortice Gauge
- No.4 Smoothing Plane



CMKG -8" Marking Gauge

- . Block Rosewood stained hardwood with 2 brass plates on the working face, round brass bar through top section and brass lock Screw on top
- Block size: 66 x 55 x 28 ± 1mm
- Brass Plates in Block: 7 x 3mm
- Brass Bar in Block: 12mm diameter



CMTG -8" Mortice Gauge

- · Block Rosewood stained hardwood with 2 brass plates on the working face, round brass bar through top section and brass lock Screw on top
- Block size: 66 x 55 x 28 ± 1mm
- Brass Plates in Block: 7 x 3mm
- · Brass Bar in Block: 12mm diameter



CBP65 -No.6 1/2" Block Plane

- · Ductile cast iron painted gloss black with ground sides and bottom
- Base Length: 157.0 ± 2mm
- Base Width and Depth: 44 x 28 ± 1mm
- Blade retaining block: Ductile cast iron painted gloss black
- . 35mm wide low angle cutter and fully adjustable mouth



CBP95 -No.9 1/2" Block Plane

- · Ductile cast iron painted gloss black with ground sides and bottom
- Base Length: 157.0 ± 2mm
- Base Width and Depth: 44 x 28 ± 1mm
- · Blade retaining block: Ductile cast iron painted gloss black
- 42mm wide low angle cutter and fully adjustable mouth



CJP5 -No.5 Jack Plane

- · Ductile cast iron painted gloss black with ground sides and bottom
- Base Length: 355.0 ± 2mm
- Base Width: 63 x 47 ± 1mm
- Blade retaining block: Ductile cast iron painted gloss black
- 50mm(w) high carbon steel blade



Craftsman-made quality for over 200 years Craftsmanship quality dating back to 1760, our Builders' Tools range has developed over time to meet the current needs of modern-day building. With three different ranges available, we provide the perfect tools for every budget and customer, be it professionals or home DIYers. 20

Builders Tools Range

Tyzack

By expertly combining advanced design, technology and our commitment to quality, Spear & Jackson offers a comprehensive range of superb Tyzack brickwork, pointing and plastering trowels. In addition, we also offer a comprehensive range of great quality dry-lining tools, plus essential ancillary brickwork tools like brick jointers, joint rakers, chalk lines and corner blocks.



Spear & Jackson

This range is designed for hardwearing performance, comfort and ease-of-use when carrying out tasks such as brickwork, plastering, flooring and cement work.



Mortar Master

Our entry-level range of tools is ideal for the price-conscious professional, handyman or DIYer, featuring weatherproofed wooden handles and fabricated blades.

So, whatever the aim for your latest building project, Tyzack, Spear & Jackson and Mortar Master have you covered.





Craftsman-made quality since 1837

Tyzack is one of the oldest builders' tool brands,

By expertly combining advanced design, technology

Each of our trowels is crafted from the finest carbon

and our commitment to quality, Spear & Jackson

offers a comprehensive range of superb Tyzack

steel with a solid forged blade and through tang for supreme strength. Handles are available in both traditional wood or the latest soft-feel material with

TYZACK is the first choice for ultimate comfort

brickwork tools.

ergonomic design.

and performance.

founded in 1837 by Joseph Tyzack & Sons.



Tyzack Brickwork Tools

Tyzack professional brickworking tools with solid forged blades and plastic end caps for tapping down

10110SF, 10111SF - Tyzack Soft **Feel Broad Heel Brick Trowels**

- · Solid forged blade
- Broad blade allows extra capacity for mortar
- Soft feel handle with integral finger guard
- Plastic end cap for tapping down



10110SF: 10" Soft Feel, 5 Pack 10111SF: 11" Soft Feel, 5 Pack

10110SF, 10111SF -Tyzack Soft Feel Broad **Heel Brick Trowels**

- Solid forged blade
- · Broad blade allows extra capacity for mortar
- · Plastic end cap for tapping down
- · Taper ground for progressive flexibility



10110V: 10" Short Wood Capped, 5 Pack 10111N: 11" Short Wood Capped, 5 Pack 10112Q: 12" Short Wood Capped, 5 Pack

10710SF, 10811SF, 10712SF -Tyzack Philadelphia Soft Feel, Capped, Brick Trowel

- Solid forged Philadelphia blade for added balance
- Soft feel handle with integral finger guard



10710SF: 10" Soft Feel, 5 Pack 10811SF: 11" Soft Feel, 5 Pack

10712SF 12" Soft Feel, 5 Pack

11105N, 11106Q - Tyzack Short Wood Handle **Pointing Trowels**

- · Solid forged blade
- · High tang for good knuckle clearance
- Short wood handle



Pointing Trowels · Solid forged blade

11104SF, 11105SF, 11106SF

Tyzack Soft Feel Handle

- · Soft feel handle with integral finger guard
- · High tang for good knuckle



10811V -Tyzack Canadian, Leather Handle Brick Trowel

- · Solid forged blade
- Philadelphia blade for added balance
- · 'Canadian' wood handle with leather insert for comfort
- Plastic end cap for tapping down
- · Taper ground for progressive flexibility



10811V: Canadian Brick Trowel, 11", Leather Capped, 5 Pack

11104ARCH -**Tyzack Archaeology Short Wood Pointing Trowel**

- · Solid forged blade
- · Thicker, more rigid blade for extra strength
- High tang for good knuckle clearance



11104ARCH: 4" 10 Pack

11104SFARCH - Tyzack **Soft Feel Archaeology Pointing Trowel**

- Solid forged blade
- Thicker, more rigid blade for extra strength
- High tang for good knuckle clearance
- Soft feel handle with integral



11104SFARCH: 4" Soft Feel, 10 Pack




Tyzack Plastering Tools

'Ready To Go' Finishing Trowels



Pre-worn to professional standards, our revolutionary trowel is 'READY TO GO' right from the start!



11458BISF -**Ready to Go Rounded Corner Trowel**

- · Individually craftsman set blade for optimum performance
- · Rolled tension blade ensures consistent blade shape and even distribution
- Rounded corners to prevent digging in
- Pre-worn edges to eliminate line and ripple marks in the work
- Cross ground for easy material flow and reduced drag
- · Soft feel handle for comfortable use
- · Stainless steel blade
- Single hang



1458BISF: 11 x 4 5/8" Soft Feel, 0.24 Thickness, Single Hang, 10 Stud Weldings, 5 Pack

11458BIN, 13458BIN, 14458BIN -Ready To Go Rounded **Corner Trowels**

- · Individually craftsman set blade for optimum nerformance
- Rolled tension blade ensures consistent blade shape and even distribution
- · Rounded corners to prevent digging in Pre-worn edges to eliminate line and ripple marks in the work
- · Cross ground for easy material flow and reduced drag
- Traditional beech handle
- Stainless steel blade
- Single hang



1458BIN: 11 x 4 5/8" 10 Stud Weldings, 5 Pack 13458BIN: 13 x 4 5/8" 10 Stud Weldings, 5 Pack 14458BIN: 14 x 4 5/8" 12 Stud Weldings, 5 Pack

13458ERTG & 14458ERTG -**ENHANCED Ready To Go Trowels**

- Longer tang with 14 rivets for extra strength
- Pre-worn edges to eliminate line and ripple marks in the work
- · Cross ground for easy material flow and reduced drag
- Ergonomic thumb dimple in handle end for easier reversed use
- Stainless steel blade for rust resistance
- Rounded corners to prevent digging in
- · Rolled tension blade ensures consistent blade shape and even distribution
- · Individually craftsman set blade for optimum performance



13458ERTG: 13" Stainless Steel, 5 Pack



Tyzack Plastering Tools

Specialist Trowels

Specialist trowels for specific plastering jobs, from edging and adhesive application to gauging

13100R, 21600W - Wooden **Handle Finishing Trowels**

Tyzack Banana Handle Trowel

- Individually craftsman set blade
- Rolled tension blade ensures consistent blade shape and even application
- Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and
- Mahogany, banana handle
- Blade thickness 0.24mm
- 10 stud weldings



13100R: 11 x 4 5/8", Carbon Steel Blade, 5 pack 21600W: 11 x 4 5/8" Stainless Steel Blade, 5 pack

13300K - Double Hang Wooden **Handle Cementing Trowel**

Tyzack Wooden Handle, Straight

- Individually craftsman set blade
- Rolled tension blade ensures consistent blade shape and even application
- Thicker blade for added rigidity
- Lightweight, strong diecast aluminium tang with back stay for rigidity
- Stainless steel rivets for longer life and added strength
- Straight, mahogany wooden handle
- 0.32mm thick blade
- 6 stud weldings



13300K: 11 x 4 5/8" Carbon Steel, 5 pack

13100RSF, 13458SSF -**Soft Feel Finishing Trowels**

Tyzack Soft Feel Handle Trowel

- Individually craftsman set blade
- Rolled tension blade ensures consistent blade shape and even application
- Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and added strength
- Soft feel handle for comfort
- Blade thickness 0.24mm
- 13100RSF & 13458SSF have 10 stud welds, 13514SSF has 12



13100RSF: 11 x 4 5/8" Carbon Steel, 5 Pack 13458SSF: 13 x 4 5/8" Stainless Steel, 5 Pack

13858NSF - Soft Feel Handle **Cementing Trowel**

Tyzack Soft Feel Handle

- · Individually craftsman set blade
- Extra long blade
- · Rolled tension blade ensures consistent blade shape and even application
- Thicker blade for added rigidity
- · Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and added strength
- · Soft feel handle for comfort
- 0.32mm thick blade
- 14 stud weldings



13858NSF: 16 x 4 5/8" Carbon Steel, 5 pack

13716K, 13718G - Mahogany **Wooden Handle Flooring Trowel**

Tyzack Straight Wooden Handle

Used for applying & finishing mortar on floors

- · Rolled tension blade ensures consistent blade shape and even application
- Lightweight, strong diecast aluminium tang with back stay for added rigidity
- · Stainless steel rivets for longer life and added strength
- Double hang
- Blade thickness 0.56mm
- 13716K has 7 stud welds, 13718G has 8



13716K: 16" Carbon Steel, 5 Pack 13718G: 18" Carbon Steel, 5 Pack

15200W - Straight Wooden **Handle Edging Trowel**

Tyzack Mahogany Handle Trowel

- · Radius edge designed to produce a rounded edge finish on freshly laid cement
- Specially profiled blade
- · Double thick blade for maximised strength
- · Double hang tang for enhanced strength
- Blade thickness 0.56mm
- 3 stud weldings



15200W: 11 x 4 1/2" Carbon Steel, 5 Pack

Constructed to professional standards with individually craftsman set blades

SPEAR & JACKSON

11507N - Beech Handle Gauging Trowel

Tyzack Beech Handle Trowel

For mixing a small amount of plaster and filling gaps. Handy for getting into awkward places.

- Solid forged blade
- · Integral finger guard



11507N: 7", Beech Handle, 10 Pack

PS600. PS800 & PS1000 -**Plasterers' Spatulas**

- · Specially designed to give a superfine finish
- Flexible blade with rounded edges
- Easy to replace and clean blade
- Available in three sizes, 600mm, 800mm and 1000mm
- Spare blades available in all three sizes



11507SF - Soft Feel Handle Gauging Trowel

Tyzack Soft Feel Handle Trowel

For mixing a small amount of plaster and filling gaps. Handy for getting into awkward places.

- Solid forged blade
- Integral finger guard
- · Soft feel handle





PS600BLADE, PS800BLADE & PS1000BLADE -Plasterers' Spatulas Spare Blades

• Individual spare blades available in three sizes - 600mm, 800mm





Tyzack Plastering Tools

Specialist Trowels

Specialist trowels for a wide variety of jobs, from pointing to corner jointing

10565BSF - Bucket Trowel with Soft Feel Handle

Ideal for mixing and removing mortar and plaster from buckets

- Cropped blade profile for easy reach right to the bottom of the bucket
- Extra high tang for increased knuckle clearance
- · Soft feel handle for extra comfort



10565BSF: 6 1/2" Carbon Steel, Soft Feel, 5 Pack

715C -**External Corner Trowel**

Tyzack Soft Feel Corner Trowel

Used to produce a tight, bubble free **EXTERNAL** corner joint

- Stainless blade for longer life
- Offset blade allows you to work right up to ceiling /down to the floor or skirting
- Soft feel handle for extra comfort



12312D -Trowel and Square

Trowel and Square is used for pointing or cementing any small scale brickwork

Flexible blades for extra control



12312D 1/2", 5 Pack

714B -**Internal Corner Trowel**

Tyzack Soft Feel Corner Trowel

Used to produce a tight, bubble free INTERNAL corner joint

- Stainless blade for longer life
- Offset blade allows you to work right up to ceiling /down to the floor or skirting
- Soft feel handle for extra comfort



714B: 90° Internal Radius, Soft Feel, 5 Pack

12012N -**Leaf and Square**

Leaf and Square is used for delicate work when extra care and precision needs to be taken

· Flexible blades for extra control



12012N 1/2", 5 Pack

11806X -**Harling Trowel**

Tyzack Soft Feel Harling Trowel

Used when pebble dashing, to throw the pebbles onto the mortar

• Chemical blacked blade for rust resistance



The Tyzack range of floats and hawks

SPEAR & JACKSON

702S, 702L -**Tyzack Plastic Floats**

For use on concrete flooring

- · Non-absorbent patterned face
- Can be nailed for scoring
- Lightweight
- · Easy to clean



702S: Small 11", 10 Pack 702L: Large 14", 10 Pack

12712SF -**Tyzack Aluminium Hawk**

For holding mixed plaster at working height, prior to application

- · Made from rolled aluminium with smooth, straight edges and rounded corners
- Detachable soft feel handle



704N -**Tyzack Sponge Float**

For finishing grainy surfaces such as sand and cement mix

· A firm rubber strongly bonded to a plastic base plate



704N: 9 x 4", 10 Pack

12712H - Tyzack Aluminium, **Wooden Handled Hawk**

For holding mixed plaster at working height, prior to application

- Made from rolled aluminium with smooth, straight edges and rounded corners
- · Detachable wooden (beech) handle




12712H: 12 x 12", 5 Pack

700Z -**Tyzack Wooden Float**

For scrubbing and giving a sandy surface to rendered concrete or plaster

· Robust solid wooden float with a comfortable grained effect handle



700Z: 11", 10 Pack

Tyzack Fully Polyurethane Hawk

For holding mixed plaster at working height, prior to application

• Made from lightweight moulded polyurethane with a smooth surface finish



708T: 13 x 13" Plastic, 6 Pack



Tyzack Drylining & Plastering Accessories

719G - 6" Tyzack Jointing Knife

Suregrip® handles

• Flexible stainless steel blades

Accessories for plastering and drylining jobs

74-PBSR - Tyzack Drywall Saw

Designed to drive through plasterboard

- Suregrip[®] handle
- Teeth cut on forward and reverse stroke
- Pointed to drive through plasterboard
- Ideal for use on timber, hardwood, chipboard and MDF



74-PBSR: 31cm, 5 Pack

713A - Tyzack Support Prop

Provides an extra support on site by holding plasterboards in position to ceilings

Pistol grip extending action

74-PBSR: 31cm, 5 Pack

30



709W - Tyzack Hand Sander

For smoothing off jointing materials

- Smooth contour handle
- Aluminium base
- Neoprene pad prevents sandpaper slipping
- Uses standard sand paper cut to size



709W: 9 1/2 x 3 1/4", 5 Pack

710M - Tyzack Mixing Paddles

Hard wearing paddle designed to fit a high power drill and ensure a fast and complete mixing process for mortars and plasters

- Anti-rust chrome finish
- Medium diameter head



710X: 10mm Shaft Dia, 100mm Mixer Dia, 5 Pack

720H - Tyzack Pole Sander

Allows finishing of joints to ceilings

- · Lightweight aluminium handle
- Fully pivoting head
- Extends to 1.5m/51"
- Uses standard sand paper -



720H: 10 1/4 x 3 3/8", 5 Pack

712Z - Tyzack Board Lifter

Strong one-piece aluminium construction, for the easy positioning of plasterboard and door

 Tapered front end slides easily under boards and holds firmly in place



Tyzack jointing and taping knives for plastering and drylining

Jointing knife with handle ends for knocking back protruding nails

SPEAR & JACKSON

718F - 4" Tyzack Jointing Knife

Jointing knife with handle ends for knocking back protruding nails

- Suregrip® handles
- Flexible stainless steel blades

718F: 4" Jointing Knife, 5 Pack

716D - 10" Tyzack Taping Knife

717E - 12" Tyzack Taping Knife

Spreads initial coats of compound over plaster joints and 'beds' the tape in it

• Suregrip® handles



Spreads initial coats of compound over plaster joints and 'beds' the tape in it

- Suregrip® handles
- Flexible stainless steel blades

719G: 6" Jointing Knife, 5 Pack





Tyzack Ancillary Tools

High quality brickwork and ancillary tools, specifically designed for use by the professional tradesman

10701S -Rubber Line Blocks (1 Pair) & Line

- Line: 30m 8 strand braided nylon brick line, produces a straight line under tension
- Blocks: are angled at 87.5° so that, when under tension, they square up into the corner of the brick for a better grip and a more stable line
- Rubber surface and grooves help to prevent slippage
- Lightweight and easy to use

10701S: 1 Pair & 1 Line, 5 Pack

• Highly visible fluorescent colours - easy to see, not so easy to lose



SJUK-50M-8W, SJUK-50M-0Y -**Bricklayers Line Merchandisers**

- Strong, braided nylon bricklayer's lines which produce a straight line under tension, unlike twisted lines will not fray when cut
- Easy to unwind 50m spools, which prevent the lines from becoming tangled when stored, individually barcoded
- High visibility orange and fluorescent yellow lines are easy to see on site



SJ-RLB-OY -**Rubber Line Blocks Merchandiser**

- 24 fluorescent pieces, 6 pairs orange and 6 pairs yellow, each block is individually barcoded
- Blocks are angled at 87.5° so that, when under tension, they square up into the corner of the brick for a better grip and a more stable line
- · Rubber surface and grooves help to prevent slippage whilst in use
- · Lightweight and easy to use



SJ-RLB-0Y: Merchandiser 1 Pack


SJUK-50M-8WYOP -**Braided Line Merchandiser**

- · Strong, braided nylon bricklayer's lines which produce a straight line under tension, unlike twisted lines will not fray when cut
- Easy to unwind 50m spools, which prevent the lines from becoming tangled when stored, individually barcoded
- · High visibility orange, fluorescent yellow and pink and white lines all in one retailer friendly merchandiser



10505Z -**Line & Pins**

- · Cast metal pins for extended life
- 30m High visibility line



10505Z: 1 x Line, 2 x Pins, 5 Pack

21258B -**Tyzack Convex Brick Jointer**

• For smooth finishing in between bricks



PROFLPBOX -Tyzack Line Pins

- · Made from drop forged and hardened steel for strength, and resists bending under pressure
- Tapered end ensures the line pin inserts easily into surface material
- Extra large head means the line is less likely to become detached
- whilst in use · Chrome plated to prevent rusting



PROFLP2PK: Line Pins Packs of 2, 10 Pack PROFLPBOZ: Merchandiser 30 pins, 1 Pack

707S -**Tyzack Joint Raker**

• Removes mortar from joint by using a pin that is adjustable for different depths



707S:Joint Raker, 5 Pack

S&J **Plastering Tools** Designed for hardwearing performance, comfort and ease-of-use, this range features soft-feel handles and the highest quality blades for brickwork, plastering, flooring and cement work. The added feature of integral finger guards on brickwork tools makes for safer working.

S&J **Plastering Tools**

11605PSF/14 - S&J 5" & 6" Pointing Trowel

- · For repairing mortar joints or filling cavities
- Ergonomically shaped handle
- Fabricated blade



11605PSF/14: 5" Pointing Trowel, 10 Pack 11606PSF/14: 6" Pointing Trowel, 10 Pack

11611PSF/14 - S&J 11" Philadelphia Trowel

- Philadelphia pattern blade for additional balance
- Polished and lacquered blade
- Fabricated carbon steel blade



11611PSF/14: 11" Philadelphia Trowel, 10 Pack



Brickwork & Plastering

Soft Feel Tools

High quality brickwork and ancillary tools, specifically designed for use by the professional tradesman

11610BSF/14, 11611BSF/14 -**S&J Broad Heel Trowels** 10" & 11"Soft Feel Broad Heel Trowels Fabricated carbon steel blade Ergonomically shaped soft feel handle with integrated finger quard Polished and lacquered blade



S&J Plastering Trowels

Soft Feel Plastering Trowels

- · Lightweight strong diecast aluminium tang
- Rivets for longer life and added strength
- Available with a carbon or stainless steel blade in two sizes (11" or 13")
- Ergonomically shaped soft feel handle



10611SF/14: 11" Stainless Steel, 10 Pack 10613CSF/14: 13" Carbon, 10 Pack 10616SF/14: 13" Stainless Steel, 10 Pack

10616SF/14 -**S&J Flooring Trowel**

For mixing small amounts of plaster and filling gaps in confined spaces

Fabricated carbon blade

36

7" Gauging Trowel

S&J Gauging Trowel


11607GSF -

Soft feel handle with integrated finger guard



16" Flooring Trowel

- · Carbon steel
- · Soft feel handle with integrated finger guard
- Polished and lacquered blade



High quality tiling trowels and ancillary plastering tools with soft feel handles for comfortable, sustained use

10606U -**S&J Hawk**

Plastic & Aluminium Hawk

· Lightweight but strong aluminium blade



10606U: 12 x 12", 10 Pack

TILT6MM -**S&J 6mm Tiling Trowel**

- Lightweight but strong aluminium tang
- Soft feel handle for extra comfort
- TILT6MM: 6mm sq notch
- · Ergonomically shaped soft feel handle
- Polished and lacquered carbon steel blade



TILT6MM: 11" Tiling Trowel, 10 Pack

10608SF -**S&J Mini Finishing Trowel**

8" Finishing Trowel

- · Ideal for working in confined spaces Stainless steel blade for longer life
- Soft feel handle for extra comfort
- Ergonomically shaped soft feel handle



10608SF: 8" Soft Feel, 10 Pack

TILT20MM -**S&J 20mm Tiling Trowel**

- Lightweight but strong aluminium tang
- Soft feel handle for extra comfort
- TILT20MM: 20mm x 10mm ½ round notch
- Ergonomically shaped soft feel handle Polished and lacquered carbon steel blade



TILT20MM: 11" Tiling Trowel, 10 Pack

TILT3MM -**S&J 3mm Tiling Trowel**

Tiling Trowels

- · Lightweight but strong aluminium tang
- Soft feel handle for extra comfort
- TILT3MM: 3mm sq notch
- Ergonomically shaped soft feel handle
- Polished and lacquered carbon steel blade



TILT3MM - 11" Tiling Trowel, 10 Pack

10565BSF - S&J Bucket Trowel with Soft Feel Handle

Carbon Steel Bucket Trowel

Ideal for mixing and removing mortar and plaster from buckets

- Cropped blade profile for easy reach right to the bottom of the bucket
- Extra high tang for increased knuckle
- clearance · Soft feel handle for extra comfort



10565BSF: 6 1/2" Carbon Steel, Soft Feel, 5 Pack

Mortar Master Range This entry level range of tools is ideal for the price conscious professional, jobbing builder or DIYer. Featuring weatherproofed wooden handles and fabricated blades.

Mortar Master Brickwork & Plastering Trowels

Mortar Master Brickwork and Plastering Tools feature wooden handles and fabricated steel blades

10511P - Philadelphia Trowel **Plastering Trowels Broad Heel Trowels** Mortar Master 10 and 11" **Mortar Master Plastering Trowels Mortar Master Philadelphia Trowel** Fabricated blade Lightweight strong diecast aluminium tang · Philadelphia pattern blade provides additional balance · Weatherproofed hardwood handle · Stainless rivets for longer life and Fabricated blade added strength Weatherproofed hardwood handle • 11 or 14" sizes available Weatherproofed hardwood handle 10511P: 11" Wooden Handle, 10 Pack

10565B - Bucket Trowel

Mortar Master Bucket Trowel

- Fabricated blade
- Cropped blade profile to allow easy reach to bottom of bucket
- High tang for knuckle clearance



Pointing Trowels

Mortar Master 5 & 6"

- Fabricated blade
- Weatherproofed hardwood handle
- For repairing mortar joints or filling cavities



10505P: 5" Wooden Handle, 10 Pack 10506P: 6" Wooden Handle, 10 Pack

10507G - Gauging Trowel

Mortar Master 7" Gauging Trowel

- Fabricated blade
- Weatherproofed hardwood handle
- · For mixing small amounts of plaster and filling gaps in confined spaces





Spear & Jackson Hammers

Carpenters' Claw Hammers

Used by carpenters for fixing and removing nails. Should never be used for striking implements such as cold chisels

- · Polished striking face and back of claw
- · High quality forged head
- Choice of hickory, tubular steel or solid forged
- · Solid forging provides a shaft integral with the head for superior strength

SJ-CAH16 Adze Eye Claw, 454gm, Hickory Handle, 5 PK SJ-CAH20 Adze Eye Claw, 567gm, Hickory Handle, 5 PK SJ-CSS20, Claw, 567gm, Solid Steel Handle, 5 PK SJ-CTS16, Claw, 454gm, Steel Handle, 5 PK



Club Hammers

Used in the building and construction industry for delivering short heavy blows, eg. with cold chisels and brick bolsters

- · Polished striking face
- · Hickory or fibreglass handle

SJ-MCH40 21/2lb, Hickory Handle, 4 PK SJ-MCH64 4lb, Hickory Handle, 4 PK SJ-MCH40FG 21/2lb, Fibreglass Handle, 4 PK SJ-MCH64FG 4lb, Fibreglass Handle, 4 PK



All **SPEAR & JACKSON** hammers are made in general accordance with **British Standard BS876**. This standard is very stringent in terms of hardness testing and crack detection and demands 100% testing. **SPEAR & JACKSON** sample test for hardness and cracks in order to offer a more competitive product.



Spear & Jackson Hammers

All our Hammers are manufactured to the highest product specifications ensuring maximum strength

Bricklayers Hammers

Used by bricklayers for cutting and fitting bricks and stonework

- Square end for tapping bricks into place Chisel end for cutting bricks
- Choice of hickory or fibreglass shaft
- Fibreglass shafts provide oil, chemical and water resistance, 10 times stronger than timber and 8 times stronger than steel



SJ-BSH25 Bricklayers' Short Pattern, 708gm, Hickory Handle, 5 PK SJ-BSF25 Bricklayers' Pattern, 680gm, Fibreglass Handle, 5 PK

Scutch Hammers

Similar in shape to a brick hammer but with a single or double ended grooved end for taking scutch combs; replaceable bits used for cutting stone, brickwork, or for removing mortar prior

- Single ended with one striking face and one grooved end
- Double ended with both ends grooved Hickory handle



SJ-SSH28 Single End, 567gm, Hickory Handle, 5 PK SJ-SDH22 Double End, 624gm, Hickory handle, 5PK SJ-CC10 10" Scutch Comb, 10 PK

Engineers' Ball Pein Hammers

A universal hammer with 1 flat and 1 ball pein end. **Used for striking metal objects**

- Polished and chamfered striking face to avoid chipping
- · Polished and hardened ball end
- Hickory handle



SJ-BPH8 227gm (½lb) Hickory Handle, 5 PK SJ-BPH12 340gm (3/lb) Hickory Handle, 5 PK SJ-BPH16 454gm (1lb) Hickory Handle, 5 PK SJ-BPH24 680gm (1½lb) Hickory Handle, 5 PK SJ-BPH32 908gm (2lb) Hickory Handle, 5 PK SJ-BPH40 1134gm (21/2lb) Hickory Handle, 5 PK SJ-BPH48 1361gm (3lb) Hickory Handle, 5 PK


Double Faced Sledge Hammers

Used in all industries for heavy work such as demolition or where a strong blow has to be given, eg. driving home stakes

- Longer handle for a greater striking force
- · Polished striking face with chamfered edges to avoid chipping
- · Choice of hickory or fibreglass shaft



All our Hammers are manufactured in general accordance with British Standard BS876



Slaters' Ripper

RIPPER - Used by slaters for the removal of old roofing slates

- Hardened and spring tempered blade to allow access between slates
- Specially designed ground hook for easy contact with nails and easier
- . Slight incline on handle to allow easier access of the hand



Mortar Picks

Used by bricklayers for cleaning worn and broken debris from brick and stonework prior to re-pointing

- · Chisel and point or double point end available which are hardened for strength
- Hickory shaft

SJ-MPHCP Chisel & Point, Hickory Handle, 5 PK SJ-MPHDP Double Point, Hickory Handle, 5 PK

Slaters' Axe

AXE - Used for cutting and dressing slates and tiles prior to fixing

- · Fine, honed blade for accurate cutting
- Spiked hook used for piercing slates



SJ-SARH Slaters' Axe - Right Hand, 5 PK



Eclipse Cold Chisels

Cold chisels and bolsters manufactured from hard wearing chrome vanadium, so need re-sharpening less often, and are also even more resistant to mushrooming after prolonged use





Part No.	Туре	Length	Blade W	Hex Dia.	QT
22-410R/07	Grooving	250mm	6.35mm	15.9mm	5
22-208R/07	Flat	205mm	19mm	15.9mm	5
22-210R/07	Flat	250mm	25.4mm	22.2mm	5
22-639R/07	Brick Cutting	230mm	75mm	19mm	5
22-649R/07	Brick Cutting	230mm	100mm	25mm	5
22-509R/07	Floorboard	230mm	63.5mm	17.5mm	5





Part No.	Length	Blade Width	Hex Dia.	QTY
CB24A/07	100mm (4")	6.35mm (1/4")	6.35mm (1/4")	10
CB28G/07	150mm (6")	6.35mm (1/4")	6.35mm (1/4")	10
CB46T/07	125mm (5")	9.5mm (3/8")	9.5mm (3/8")	10
CB48E/07	150mm (6")	9.5mm (3/8")	9.5mm (3/8")	10
CB68V/07	150mm (6")	12.7mm (1/2")	12.7mm (1/2")	10
CB70H/07	205mm (8")	12.7mm (1/2")	12.7mm (1/2")	10
CB72F/07	250mm (10")	12.7mm (1/2")	12.7mm (1/2")	10
CB73N/07	300mm (12")	12.7mm (1/2")	12.7mm (1/2")	10
CB88R/07	150mm (6")	15.9mm (5/8")	12.7mm (1/2")	10
CB89H/07	180mm (7")	15.9mm (5/8")	12.7mm (1/2")	10
CB90M/07	205mm (8")	15.9mm (5/8")	12.7mm (1/2")	10
CB92N/07	250mm (10")	15.9mm (5/8")	12.7mm (1/2")	10
CB108D/07	150mm (6")	19mm (3/4")	15.9mm (5/8")	10
CB110T/07	205mm (8")	19mm (3/4")	15.9mm (5/8")	10
CB111G/07	230mm (9")	19mm (3/4")	15.9mm (5/8")	10
CB112E/07	250mm (10")	19mm (3/4")	15.9mm (5/8")	10
CB113V/07	300mm (12")	19mm (3/4")	15.9mm (5/8")	10
CB116M/07	450mm (18")	19mm (3/4")	15.9mm (5/8")	5
CB150E/07	205mm (8")	25.4mm (1")	22.2mm (7/8")	5
CB151V/07	230mm (9")	25.4mm (1")	22.2mm (7/8")	5
CB152R/07	250mm (10")	25.4mm (1")	22.2mm (7/8")	5
CB153H/07	300mm (12")	25.4mm (1")	22.2mm (7/8")	5
CB156N/07	450mm (18")	25.4mm (1")	22.2mm (7/8")	5



Eclipse

Cold Chisels, Bolsters & Wrecking Bars

Our Wrecking Bars are made from heat treated, solid forged steel for maximum strength containing a range of sizes


Eclipse Wood Chisels are available individually and also in sets






BEWC2E

2" (50mm) Bevel Edge






Wrecking Bars

Made from heat treated, solid forged steel for maximum strength.





Spear & Jackson Screwdrivers



Slotted Parallel Tip

Slotted is the most common type of screw head

- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque



Slotted Flared Tip

- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque



Phillips

Phillips tips have a positive location, reducing the danger of the

- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque

PH100X2: 100mm (4") No2, 6 PK PH150X3: 150mm (6") No3, 6 PK



Spear & Jackson **Screwdrivers**

Spear & Jackson Screwdrivers feature bright chrome vanadium steel bars for strength and rust protection

Pozidriv Pozidriv tips reduce the risk of slippage Bright chrome vanadium steel bars for strength and rust protection Black oxidised tip for wear resistance Trilobular handle with tapered neck for ergonomic fit • Dual material handle for comfort in use Integral moulded finger grips around neck to allow increased torque

PO2CH: Chubby 40mm (11/2") No2, 6 PK PO75X0: 75mm (3") No0, 6 PK P075X1: 75mm (3") No1, 6 PK P0100X2: 100mm (4") No2, 6 PK

Ratchet

- Three position ratchet screwdrivers
- · Ergonomically designed hardwood handles
- Blades are machined from high quality chrome vanadium steel, fully hardened, bead blasted and lacquered



6204: 100mm (4") 6mm (1/4") Flared Tip, 6 PK

Torx

Torx® screws are generally used for engineering and automotive applications. This type of screw enables very high torque levels to be applied without danger of slipping

- Chrome vanadium steel bars for strength and rust protection
- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck



Terminal - Extra Light Duty

· Fluted handles for maximum grip

- · Chrome vanadium steel bars for strength and rust protection

P18/2-NEW: 63mm, 3mm, 10 PK P18/4-NEW: 100mm, 3mm, 50 PK P18/0-NEW: 63mm, No0 Phillips, 50 PK

Screwdriver sets are available, containing a selection of sizes from the range

SD8SET - 8 Piece Set

- · Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque



PA75X3: Parallel 75mm x 3mm PA150X5: Parallel 150mm x 5mm

FL6CH: Flared Chubby 45mm x 6mm FL75X5: Flared 75mm x 5mm

FL100X5 Flared 100mm x 5mm PH1CH Philips Chubby 40mm x No1

P075X1 Pozi 75mm x No1 P0100X2 Pozi 100mm x No2

SD10SET - 10 Piece Set In Zipper Wallet

- Bright chrome vanadium steel bars for strength and rust protection
- · Black oxidised tip for wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque



PA75X3 Parallel 75mm x 3mm PA100X3 Parallel 100mm x 3mm PA150X5 Parallel 150mm x 5mm

FL6CH Flared Chubby 45mm x 6mm FL75X5 Flared 75mm x 5mm FL100X6: Flared 100mm x 6mm

FL150X8: Flared 150mm x 8mm PO2CH: Pozi Chubby 40mm x No2

P075X1: Pozi 75mm x No1 P0100X2: Pozi 100mm x No2





Tape Measures



Utility Knives & Blades



Chalk Line



Heavy Duty Stapler/Nail Tacker





Essential measuring tools...

30435HD -**Heavy Duty 5m Tape Measure**

- Plastic case with impact absorbing soft feel rubber casing
- 25mm wide blade
- Class II accuracy
- Magnetic metal end hook



30440HD -**Heavy Duty 8m Tape Measure**

- Plastic case with impact absorbing soft feel rubber casing
- 25mm wide blade
- Class II accuracy
- · Magnetic metal end hook



3m, 5m & 8m Tape Measures

- Integrated belt clip and wrist band
- Impact absorbing rubber casing offers a better grip and greater comfort
- Auto lock blade system with a push release button
- Zero point magnetic end hook for internal & external measurement
- Metric & imperial graduations

54





COSMOSABS -**Plastic Cosmos Chalk Line**

- · Durable, impact resistant ABS plastic case
- 30m double twisted poly cotton line
- Rapid 4 to 1 rewind for extra fast line storage
- Nickel steel handle (lockable in one position)



COSMOSABS: 30M, 12 Pack

Chalk Refills -Red or Blue Chalk Refills

- · High capacity 200gm chamber
- · Unique quick change refill facility with no spillage
- Hi-visibility yellow plastic case
- Refills Chalk Lines



MINIRL -**Mini Road Line**

- 30m line
- High capacity 200gm chamber
- · Unique quick change refill facility with no spillage
- Hi-visibility yellow plastic case



MINIRL: 30M, 12 Pack

HDTACKCOMBI -**Heavy Duty Stapler/Nail Tacker**

- Nickel finish to resist rusting & corrosion
- Durable all-steel construction
- Anti-slip handle
- Bottom loading system for easy loading and jam clearing
- Interchangeable with: Arrow T50 or Rapid 140/6-14mm staples
- Rapid 8 & Arrow 18 brads



HDTACKCOMBI: Heavy Duty, 5 Pack



Utility knives and blades, part of any tradesman's essential tool kit

SJ1700 -**Convertible Trimming Knife**

- Light but strong diecast aluminium alloy body
- Non-slip, soft feel grip and thumb catch
- Integral plastic blade cartridge
- Supplied with 4 spare blades



SJ1710 -**Dual Blade Trimming Knife**

- · Light but strong diecast aluminium alloy body
- · Non-slip, soft feel grip
- Integral plastic blade cartridge
- · Carries 2 loaded blades simutaneously ideal for carpet / lino fitting



SJ1720 -**Auto Load Trimming Knife**

- Light but strong diecast aluminium alloy body
- · Non-slip, soft feel grip
- Integral plastic blade cartridge
- Replacement blade automatically loads once existing loaded blade is removed



Eclipse Standard Utility Knife

- · Standard retractable utility knife with a zinc alloy body
- Supplied with one blade

E1770 -





E1780 -**Eclipse Heavy Duty Utility Knife**

- · Heavy duty retractable utility knife designed to fit the hand and maintain a strong grip.
- Ideal for cutting tough materials such as carpets, roofing felt and vinyl.
- Hinged body assists quick blade change.



E1780: Heavy Duty Utility Knife, 8 Pack



SJ1730 - 9mm Dual Action **Craft Knife**

- Light but strong diecast aluminium alloy body
- Dual action catch provides option of either standard sliding blade action or safety knife
- Non-slip, soft feel grip · Stainless steel blade holder • Blade length 75mm (3") Spare blades available (our ref: SJ1735) **NEW**

56

SJ1740 - 18mm Dual Action **Craft Knife**

- Light but strong diecast aluminium alloy body
- Dual action catch provides option of either standard sliding blade action or safety knife
- Non-slip, soft feel grip
- · Stainless steel blade holder Blade length 93mm (35/8") Spare blades available (our ref: SJ1745) NEW

SJ1735 - 15 x Spare Blade Pack for SJ1730

- To fit SJ1735 9mm Dual Action Craft Knife
- 15 spare snap-off blades 75mm (3") long
- 9mm (3/8") wide



SJ1745 - 15 x Spare Blade Pack for SJ1740

- To fit SJ1740 18mm Dual Action Craft Knife
- 15 spare snap-off blades 93mm (35/8") long
- 18mm (11/16") wide



1720R -**Eclipse Utility Blades**

- · Supplied in a handy dispenser which allows easy access to one blade at a time and minimises contact with the blade
- Fits E1770 & E1780



1720R: Straight Blades, 10 Pack

1702BP -**Eclipse Utility Blades**

- · Pack of 100 spring loaded dispenser
- Fits E1770 and E1780



1702BP: Straight Blades, 100 Pack

Spirit Level Range Being lightweight is key when it comes to spirit levels. Our range is all super light, but made with very strong aluminium. Along with crystal clear vials, mean that getting the straight line will be accurate. Spear & Jackson spirit levels range from 230mm to 2,000mm and are accurate to within 0.5mm per metre. G) speak a machine

SL230 - 230mm Pocket Level

- Compact Design
- · Light but strong aluminium body
- 2 vials horizontal and vertical
- 0.5mm/m accuracy
- Double milled magnetic base



SL600 - 600mm Spirit Level

- · Light but strong aluminium body
- 3 vials horizontal, vertical and 45 degrees
- 0.5mm/m accuracy
- Non-slip, soft feel hand grips
- Double milled base with 'v' groove to help balance on pipes
- Top edge viewing window to read vertical vial from front elevation



SL900 - 900mm Spirit Level

- Light but strong aluminium body
- 3 vials horizontal, vertical and 45 degrees
- 0.5mm/m accuracy
- Non-slip, soft feel hand grips
- Double milled base with 'v' groove to help
- Top edge viewing window to read



SL1200 -1200mm Spirit Level

- Light but strong aluminium body
- 3 vials horizontal, vertical and 45 degrees
- 0.5mm/m accuracy
- Non-slip, soft feel hand grips
- · Double milled base with 'v' groove to help
- Top edge viewing window to read vertical vial from front elevation



SL2000 -2000mm Spirit Level

- Light but strong aluminium body
- 3 vials horizontal, vertical and 45 degrees
- 0.5mm/m accuracy
- Non-slip, soft feel hand grips
- Double milled base with 'v' groove to help balance on pipes
- Top edge viewing window to read vertical vial from front elevation

SLIBEAM1200 - 1200mm I Beam Section Spirit Level

- · Light but strong aluminium body
- 3 vials horizontal, vertical and 45 degrees
- 1mm/m accuracy
- I Beam section for easy grip
- Shock absorbing end caps





Contractors' Tools Range

A range of contractor tools as tough as Britain's contractors

Britain's contractors choose Spear & Jackson because they know the tools can be trusted to give outstanding performance in rigorous onsite conditions, day after day, year after year.

This isn't just because our professional tools are designed to the very highest international quality BS EN ISO 9001:2000 standards - it's also because our products are developed through unique insights into what the trade really needs. We've done extensive research to make sure our specialist tools look, feel and work right every time.

So, when a tradesman reaches for a Spear & Jackson tool, they know it's a tool they can trust.

No wonder that thousands of contractors, ground workers, Local Authorities and National Utilities around the UK rely on Spear & Jackson professional hand and groundwork tools to get the job done. Your customers demand the best, offer them the best - Spear & Jackson.





Specifications

Handle Types

Metal MYD

Fixed with waterproof adhesive and steel pins to withstand *47Nm2 torque

Polypropylene PYD



UV stabilised to UK climate

Crutch T



Fixed with waterproof adhesive and a wooden peg to withstand 47Nm2 torque

- 900000

Hardwood shaft for maximum

Wood

Long Knob



Contoured shaft available in 48" and 54" lengths. Lacquered for weatherproofing

Newton Metre Pressures (Nm²)*

The ability to withstand an applied pressure before the seal between the surfaces is broken, causing rotation.

Shaft Types



power and extra strength






A strong, lightweight and durable material which is oil, chemical and water resistant



to fit the hand. Rotary welded to ensure perfect alignment of weld

Shorter socket length making it

in use to increase safety



Polyfibre shaft with D grip handle. easier to avoid touching metal whilst Two layers of insulating material. When white material shows through the tool needs replacing



Head Types - Some ranges feature treaded heads for more comfortable digging



5 sizes: 000, 0, 2, 4 & 6. General purpose contractors' shovel for shovelling out and refilling trenches, mixing concrete and moving tarmac.



General purpose tapered blade shovel, traditionally popular in the Midlands. For shoveling tarmac, mixing concrete and clearing and refilling trenches.



Ideal for shoveling gravel and other loose materials. The pointed blade gives easier ground penetration.



A general trenching shovel ideal for narrow work such as pipe and cable laying.

Newcastle Draining



14" or 16". Long narrow blade makes it perfect for extending trenches in terms of width and particularly depth. Lugs provide greater foot hold.



A long narrow blade makes this tool ideal for digging trenches in terms of width and depth. Useful for digging cable, pipe and drain channels.



Treaded general purpose shovel, traditionally popular in Scotland.

West Country

Long handled shovel with hardened and tempered head to enable use as a digging tool. Originally designed for the West Country and Wales

Cable Laying




Specially designed for digging trenches for cables. Generally used in conjunction with the trenching

Grafting

Specially designed for clay digging or heavy work (grafting). With dished blade and rounded point suitable for removal of heavy materials.



Long handled general purpose shovel with a hardened and tempered head for use as a digging tool. Originally designed for use in Ireland.



Heavy duty contractors or trenching fork. Extra strong square prongs with chisel points make it ideal for heavy clay or stony ground. Lightweight version also available.

Our Shovel ranges are tested to exceed British Standards

Open Socket Shovels A traditional style and a popular range. Used for general-purpose work, an open socket shovel is the ideal tool for scooping and shifting loose material such as sand or gravel. The solid hardwood shaft offers a natural, comfortable grip with a responsive lightweight feel.

Contractors' Tools

Open Socket Shovels

A variety of handle and head types are available to suit individual preferences





Open Socket Shovels

A variety of handle and head types are available to suit individual preferences





2521UA -**Square Mouth No. 2**

Handle Type: PYD

66

Blade Size:



2521HT -**Square Mouth No. 4**

- Handle Type: Crutch T
- Blade Size: 345mm (13½") x 280mm (11")



2521VC -Square Mouth No. 4

- Handle Type: PYD
- Blade Size:
- 345mm (13½") x 280mm (11")



2521WE - Square Mouth No. 6

- Handle Type: PYD
- Blade Size:
- 370mm (141/2") x 305mm (12")
- Handle Length: 711mm (28")

2531UH - Square Mouth No. 2

- · Handle Type: Long Knob
- Blade Size:



2530BW - West Country 54"

- Handle Type: Long Knob
- Blade Size:
- 305mm (12") x 255mm (10")
- Handle Length: 1372mm (54")



2540HU - Irish Round 54"

Handle Type: Long Knob



2540JV - Irish Round 60"

· Handle Type: Long Knob



IRISHDS - Irish Digging Shovel

- Handle Type: Parallel
- Blade Size: 330mm (13") x 240mm (91/2")





Solid Socket Shovels

All easily exceed BS3388 load test

Specially specified Extra long 'A' grade density sockets give timber to maximise added strength durability at the tool's potentially weakest point Solid forged head **Heat treated** & socket from one and tempered piece of steel to give quality, performance and long life Made from carbon/ **Powder coated heads**

manganese steel for for reduced soil maximum strength adhesion

Trials using this timber produce an average 138kg breaking strain which is over double the requirement manufacture of Spades, Forks & Shovels)



2050AV -**Round Mouth Shovel**

- Handle Type: PYD Socket Size: 305mm (12")
- · Blade Size: 305mm



2061TP -**Square Mouth No. 000**

- Handle Type: Crutch T
- Socket Size: 305mm (12")
- Blade Size: 265mm (10½") x 205mm (8")
- Handle Length: 711mm (28")



2061LH -**Square Mouth Shovel**

- Handle Type: Crutch T
- Socket Size: 305mm (12") • Blade Size: 265mm (101/2")
- x 205mm (8")
- Extra Long Handle
- · Handle Length:
- 915mm (36") Overall length:



2064GH -

Square Mouth No. 0

- Handle Type: Crutch T
- Socket Size: 305mm (12")
- Blade Size:



2029AV -Square Mouth No. 2

- Handle Type: Crutch T
- Socket Size: 305mm (12")
- Blade Size:
- · Handle Length:



A solid hardwood shaft is fitted into an extra long socket to give this range added strength

where it's needed most. So even the toughest task can be tackled with confidence

2029RW -Square Mouth No. 2

- Handle Type: Metal MYD
- Socket Size: 305mm (12")

- · Handle Length: 711mm (28")



2028RS -**Taper Mouth No. 2**

- Handle Type: Metal MYD
- Socket Size: 305mm (12")
- Blade Size:



2026AG -**Trenching Shovel**

- Handle Type: Metal MYD
- Socket Size: 305mm (12")
- · Blade Size: 280mm (11") x 190mm (7½")



2028AZ -**Taper Mouth No. 2**

- Handle Type: Crutch T
- Socket Size: 305mm (12")
- Blade Size:
- · Handle Length: 711mm (28")



1047MY -**Rabbiting Spade**

- Handle Type: Metal MYD
- Socket Size: 320mm (12.5")
- Blade Size:
- 276mm (11") x 133mm (51/8") · Handle Length: 711mm (28")

2027AC -**Cable Laying Shovel**

- Handle Type: Metal MYD
- Socket Size: 305mm (12")

- Blade Size:





of BS3388 (BS3388 - British Standard covering the

68

Tubular Steel Shovels

A tough, reliable no nonsense range of professional shovels, designed to give great performance in all conditions



All easily exceed **BS3388** load test











Tubular Steel Shovels & Forks

The unique method of manufacture ensures a strong, comfortable tool that's lightweight and easy to use





2153AA -**Newcastle 14" Shovel**

Handle Type: Metal MYD

72



2153AE -**Newcastle 16" Shovel**

- Handle Type: Metal MYD
- Blade Size: 405mm (16") x 105mm (4")



2154HK -**Draining Shovel 16"**

- Handle Type: Metal MYD
- Blade Size: 405mm (16") x 105mm (4")



Quality materials and a superb, handcrafted finish ensure a well balanced, highly durable fork well suited to the demands of site work

1700AV -**Tubular Fork**

- Handle Type: Metal MYD



1710AW -**Tubular Lightweight Fork**

- Handle Type: Metal MYD
- Head Size: 325mm (13") x 210mm (81/4")







Strapped Tools

Contractors' Tools Polyfibre Range

Combines the extra strength of steel strapping with the comfort of a shaft such as ash



2136NM -**General Service Treaded**





BS3388 load test

Lightweight professional shovels combining polyfibre shafts and extra long sockets for added strength and resistance to oil, chemicals and water 2159PF/C - Newcastle Drainer · Handle Type: YD Handle Type: YD Blade Size: 405mm (161/4") x 105mm (4") • Handle Length: 711mm (28")



112mm openi Polyfibre shaft construction: A strong, lightweight and durable material which is oil, chemical & water resistant Extra long sockets to give added strength One piece head and socket forged from carbon/ manganese steel for maximum **Powder coated** for reduced soil adhesion and maximum durability. **Heat treated** and tempered to give quality, performance All easily exceed

BS3388 load test



Fibrelite Range

Fibrelite Range

A range of lightweight professional shovels designed to reduce the risk of personal injury when working near live cables



All easily exceed **BS3388 load test**

The Fibrelite shaft is lightweight, durable and extremely strong

2731TFL - Square Mouth

- Handle Type: Metal MYD
- Socket Size: 190mm (71/2")



2701TFL - Trenching Shovel

- Handle Type: Metal MYD
- Socket Size: 190mm (71/2")



2702TFL - Taper Mouth

- Handle Type: Metal MYD
- Socket Size: 190mm (71/2")









Insulated Range

Insulated Range

A comprehensive range of high quality insulated shovels for working on, or near live cables

ONE PIECE



Solid forged from carbon/manganese steel for maximum strength. Heat treated and tempered to give quality, performance and a long life

All of the Spear & Jackson range of Neverbend Insulated tools are manufactured and supplied in accordance with British Standard number BS8020:2011

2029PF/INS12 -**Square Mouth No. 2**

- Handle Type: YD Insulated
- Blade Size: 302mm (12") x 250mm (10")
- Handle Length: 733mm (287/8")



2028PF/INS12 -**Taper Mouth**

- Handle Type: YD Insulated
- Blade Size: 315mm (12½") x 218mm (83/4")
- Handle Length: 733mm (287/8")



2030PF/INS12 -**Round Mouth**

- · Handle Type: YD Insulated
- Blade Size: 305mm (121/4") x 240mm (91/2")
- Handle Length: 733mm (287/8")



All of the Spear & Jackson range of Neverbend Insulated tools are manufactured and supplied in accordance with British Standard number BS8020:2011. This exacting standard was introduced to ensure the best possible protection from potential harm when working in close proximity to live conductor cables.

To comply with this standard we need to demonstrate full conformity to exacting detailed manufacturing and testing procedures:

- . Insulation is provided by two layers of polypropylene sheathing
- The inner white sheath consists of an environmentally friendly, flexible, flame retardant polypropylene
- The orange outer sheath (also referred to as the abrasive guard) has excellent high voltage protection, is environment sealed and resistant to impact and abrasion
- . Our shovels and contractors fork also incorporate the added safety feature of an integrated collar / hand stop designed to minimise the risk of the user's hand slipping on to the metal component of the tools
- . When the outer orange sheath abrades to the extent that the inner white sleeve is visible, the tool should be removed from use around live working conditions

The product is considered to comply with the British Standard only if no electric breakdown occurred and the leakage current did not exceed 1mA specified. Each tool is marked with the BS8020:2011 mark, a unique reference number for traceability and is certified, guaranteeing full conformity to live-working specifications.

- Rated working voltages at 1,000 Volts A.C. and 1,500 Volts D.C.
- Tested to 10 Kva. Issued with a Certificate of Conformity



Insulated Range

The orange outer sheath (also referred to as the abrasive guard) has excellent high voltage protection, is environment sealed and resistant to impact and abrasion

2026PF/INS12 - Trenching Shovel 2027PF/INS12 - Cable Laying 2861PF/INS12 - Grafting Spade • Handle Type: YD Insulated • Handle Type: YD Insulated · Handle Type: YD Insulated Blade Size: Blade Size: Blade Size: 276mm (11") x 172mm (7") 276mm (11") x 119mm (43/4") 320mm (125/8") x 160mm (61/4") • Handle Length: 733mm • Handle Length: 733mm • Handle Length: 733mm (287/8") (287/8") (287/8")2036PF/INS12 -1180PF/INS12 -2159PF/INS12 -**Digging Spade General Service Newcastle Drainer** Handle Type: YD Insulated • Handle Type: YD Insulated • Handle Type: YD Insulated Blade Size: Blade Size: Head Size: 405mm (161/4") x 105mm (4") 289mm (113/8") x 190mm (71/2") 240mm (9½") x 195mm (7¾") • Handle Length: 733mm (287/8") Handle Length: 733mm (287/8" • Handle Length: 733mm (287/8")

The product is considered to comply with the British Standard only if no electric breakdown occurred during testing and the leakage current did not exceed 1mA specified

1712PF/INS12 - Trenching Fork

• Handle Type: YD Insulated

• Head Size: 325mm (13")

Handle Length: 711mm (28")

x 215mm (8½")

CBCP114/INS Crowbar Chisel & Point • Handle Type: Insulated • Blade Width: 43mm (15/8") • Overall Length: 1840mm (72") • Overall Length: 1840mm (72") • Weight: 7.7kgs

Blade Length: 355mm (14") Max Open Width: 370mm (14½") Overall Length: 1710mm (67½") Weight: 7.7kgs 2PF/INS12 - 2 Prong Fork* Handle Type: YD Insulated Head Size: 195mm (7¾") x 76mm (3") Handle Length: 730mm (28¾")





*Load test not applicable



Insulated Range

Tools designed for working with tarmac and asphalt. Rakes are available with flat or round teeth

3886BC -

· Head Size:

Asphalt Rake

• Handle Type: Tubular

Each tool is marked with the BS8020:2011 mark, guaranteeing full conformity to live-working specifications

RAM10LB/INS -10lb Rammer

- Handle Type: Insulated
- Head Size: 130mm (5") x 130mm (5")



DSH160FG/INS -10lb Sledge Hammer

- · Handle Type: Insulated
- Head Size: 178mm (7") x 64mm (21/2")
- Overall Length: 850mm (33")
- Integrated hand stop to help prevent the hand slipping onto the metal head
- Strong Polyfibre shaft has excellent insulating and shock properties




DSH224FG/INS -14lb Sledge Hammer

- · Handle Type: Insulated
- Head Size: 193mm (7½") x 68mm (25/8")
- Overall Length: 850mm (33")
- Integrated hand stop to help prevent the hand slipping onto the metal head
- · Strong Polyfibre shaft has excellent insulating and shock properties



5000/INS -7lb Pick Chisel & Point

- Handle Type: Insulated
- Head Size:
- 158mm (6") x 54mm (2") • Overall Length: 910mm (36")
- Integrated hand stop to help prevent the hand slipping onto the metal head
- Strong Polyfibre shaft has excellent insulating and shock properties



5020/INS -**Pick Handle**

- · Handle Type: Insulated
- Overall Length: 910mm (36")





3886AA -**Asphalt Rake**

- · Handle Type: Wood
- Head Size: 90mm (31/2") x 380mm (15")
- · Handle Length: 1750mm (69")
- No of Teeth: 16 Flat



3887AE -**Tarmac Rake**

- Handle Type: Wood
- · Head Size:



3887AD -**Tarmac Rake**

Contractors' Tools

Tarmac & Asphalt Tools

- · Handle Type: Tubular
- · Head Size:
- 90mm (31/2") x 380mm (15") · Handle Length:
- 1750mm (69")
- No of Teeth:w16 Round



5005AX -**10lb Square Tamper**

- Weight: 4.5kg (10lbs)
- Handle Length: 1345mm (53") • Head Size: 125mm (5") square
- Drop forged steel head



5006AX -**22lb Asphalt Tamper**

- Weight: 10.2kg (22lbs)
- Handle Length: 1380mm (54")
- · Head Size:
- 310mm (12") x 125mm (5")
- Drop forged steel head
- Tubular steel handle Non-slip rubber grip

3888AS -**Aluminium Spazzle**

For smoothing and levelling materials including asphalt,

- tarmac, concrete and soil
- Lightweight but strong aluminium blade 605mm (24") wide
- Head bracket for extra strength and rigidity



3889WS -**Wooden Spazzle**

For smoothing and levelling materials including asphalt, tarmac, concrete and soil

- Solid hard wood blade 605mm (24") wide
- Head bracket for extra strength and rigidity
- Long wooden handle for optimum reach
- 1580mm (62") Spare blade available





Contractor & Landscaping Tools

From picks and scrapers to post hole diggers, we've got it all!



3422HD7 -**Heavy Duty Scraper 7"**

- · Handle Type: Wood
- Blade Size:
- 175mm (7") x 360mm (14")
- · Overall Length: 1250mm (50")

Handle Type: Wood • Blade Size: 100mm (4") x 360mm (14") Handle Length: 1250mm (50")

3422HD4 -

Heavy Duty Scraper 4"

MALLET 24 -**24oz Rubber Mallet**

- Handle Length: 275mm (1034")
- Head Size: 110mm (4¼") x 63mm (2½")
- High grade rubber head
- · Handle & head available separately



RMAUL -**Rubber Maul**

- Handle Length: 1066mm (42")
- Head Size:
- 329mm (13") x 129mm (5")
- High grade rubber head



5002AE -**Grubbing Mattock**

- Weight: 2.3kg (5lbs)
- · Heat treated carbon steel
- For use with 5020AP or 5020/ins
- Ideal for breaking up heavy ground



A range of tools for creating holes for fencing and cables and tamping down

5000BT -**Navy Pick Chisel and Point**

- Weight: 3.2kg (7lbs)
- Heat treated carbon steel
- For use with 5020AP or 5020/ins

5020AP -**Hardwood Pick Handle**

- Length: 910mm (36")
- Hardwood for use with 5000BT and 5002AE



FB72 -**Fencing Bar**

- Diameter: 25mm (1")
- Length: 1830mm (72")
- Blade Width: 65mm (2½")

CBCP114 -(11/4") Chisel and Point Crowbar

- BS standards



FG-HD54 -**Cable Grafter**

- Handle Type: Tubular steel
- Blade Size: 100mm (4") x 360mm (14") • Handle Length: 1620mm (63")

5004AX -**10lb Square Rammer** Weight: 4.5kg (10lbs)

- Handle Length: 1372mm (54")
- Head Size: 125mm (5") square







Contractor & Landscaping Tools

Landscaping and Contractors tools, including rakes, and tools for digging post holes and micro shovels for small scale digging

PHD-WH (Wood) -**Post Hole Digger**

- Handle Length: 1470mm
- Head Length: 245mm (91/2")
- Blade Size: 230mm (9") x 120mm (4")
- · Hardened carbon steel blades
- Wooden handle



DSH/WH (Wood) -**Double Shovel Holer**

- · Handle Length: 965mm
- Blade Size: 355mm (14") x 220mm (81/2")
- Max open width: 280mm (11")
- · Hardened and tempered carbon steel blades

DSH/TH (Tubular) -**Double Shovel Holer**

- Handle Length: 1725mm (68")
- Blade Size: 355mm (14") x 220mm (8½")



86

3872HD -48", 3872HDLH - 54" Heavy Duty Lawn Rake

- Heat treated tines are designed to withstand the toughest use whilst maintaining their shape and flexibility
- The rake's 20 tines wrap around the rivets at the back of the plate to reduce the likelihood of them becoming
- · Weatherproofed hardwood shaft for greater durability
- Available in two handle sizes 48" & 54"



PHAUG - Post Hole Auger

- Weight: 4kg (8.5lbs)
- Length: 1105mm (43½")
- Depth: 230mm (9") • Width: 155mm (6")
- Hardwood 'T' handle
- · Steel shaft and corkscrew blade
- Hardened tip



PHR5 - Post Rammer

- Weight: 14.4kg (31.7lbs)
- Length: 700mm
- Overall Width: 360mm (14")
- Diameter: 165mm (6")
- Solid metal end cap




8208ST - Landscaping Rake

- Handle Type: Wood
- Head Size: 630mm (24½")
- Overall Length: 1555mm (61")



8206AH -**Alloy Rake**

- Handle Type: Wood
- Head Size: 700mm (271/2")



MICROSQUARE -**Micro Shovel Square**

- Overall Length: 710mm (28")
- Blade Size: 210mm (8¼") x 160mm (6¼")
- High quality carbon steel head for longer life
- Clear polyester powder coat varnish helps protect against rusting



MICROROUND -**Micro Shovel Round**

- Overall Length: 695mm (271/2")
- Blade Size: 210mm (81/4") x 150mm (6")
- · High quality carbon steel head for longer life
- Clear polyester powder coat varnish helps protect against rusting









Garden Tools Contents

Find what you're looking for...

Razorsharp	P92
Secateurs	P93
Shears	P100 P104
Loppers Bow Saws	P104 P110
Other Cutting	P111
- Cutting	1111
Traditional Range	P116
Neverbend	P124
Carbon Steel	P124
Stainless Steel	P130
Neverbend Professional	P134
Elements	P136
Elements Tool Range	P136
Grow Your Own	P147
Select	P148
Stainless Steel	P148
Carbon Steel	P154

Colours Range	P156	
Gift Sets	P160	
Garden Tidy	P168	
Watering and Irrigation	P174	
Pump Action Pressure Sprayers and Accessories	P175	
Sprinklers and Sprayers	P178	
Brass Water Fittings	P180	
Landscaping & Fencing Range	P182	
Agricultural Tools	P186	
Agricultural Tools	P187	
Plantation Tools	P191	
Merchandising Options	P194	
Try me Packaging	P195	





Razorsharp Range

Razorsharp® PRO

The Razorsharp® PRO cutting tool range has been designed to meet the needs of professional gardeners and landscapers. Competitively priced, the range features drop-forged carbon steel interchangeable blades, forged aluminium handles for strength and durability and adjustable blade tensioning.



Razorsharp® Advance

The Razorsharp® Advance collection incorporates innovative technology like geared and ratchet mechanisms, ergonomic design and new materials to make gardening so much easier and more enjoyable.



Razorsharp® Advantage

The Razorsharp® Advantage collection features the finest precision cutting range of tools and is the obvious choice for gardeners who demand and expect precise, powerful




Razorsharp® Steel

A super-tough range, the ${\bf Razorsharp^{\otimes}}$ ${\bf Steel}$ collection is designed to meet the most demanding standards, with tubular steel handles for extra strength and durability.



Razorsharp® Active

Our Razorsharp® Active collection combines quality with excellent value for money to appeal to those with a newfound love of gardening.



Razorsharp PRO

Secateurs

The Razorsharp® PRO range of secateurs features drop forged blades, aluminium handles and rubber shock absorbers

6657BS -**Short Blade Bypass Secateurs**

- Drop forged, high carbon steel blades with sap groove
- · Blade notched for cutting thicker stems
- Lightweight forged aluminium handle
- Adjustable blade tension
- Two step catch providing a choice of cutting widths



Max Cut 20mm (¾")

6659BS -**Heavy Duty Bypass Secateurs**

- · Drop forged, high carbon steel blades with sap groove
- · Blade notched for cutting thicker stems
- Lightweight forged aluminium handle
- Adjustable blade tension
- Two step catch providing a choice of
- cutting widths



Spare blade & spring pack Sold separately

Max Cut 20mm (¾")

6959BS - Ergo Twist Handle Bypass Secateurs

- · Drop forged, high carbon steel blades with sap groove
- · Blade notched for cutting thicker stems
- Lightweight forged aluminium handle
- Adjustable blade tension
- Two step catch providing a choice of cutting widths



Max Cut 20mm (3/4")


6657TITAN - Titanium Coated **Short Blade Bypass Secateurs**

- · Titanium coated blade for increased strength, smoother cutting and rust resistance
- Blade notch for cutting thicker stems
- · Sap groove and riveted lower blade
- · Lightweight forged aluminium handle construction · Rubber shock absorber



6659TITAN - Titanium Coated **Heavy Duty Bypass Secateurs**

- · Titanium coated blade for increased strength, smoother cutting and rust resistance
- Blade notch for cutting thicker stems
- Sap groove and riveted lower blade
- Lightweight forged aluminium handle construction
- · Rubber shock absorber



Max cut 20mm (3/4")



Razorsharp Advance

Secateurs

The Razorsharp® Advance collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials to make gardening easier

6258RS - Compact Ratchet Anvil Secateurs

- · High carbon steel, PTFE coated for smooth cutting
- · Ratchet action means easier pruning in 4 short steps
- Ideal design for smaller hands
- Metal locking catch
- Cast aluminium body
- · Non-slip soft feel handle insert




Max Cut 18mm (11/16")

Anvil Secateurs

6458RS - Ratchet Twist

- Ratchet action means easy pruning in 4 short steps
- Auto-rotating lower handle helps to minimise strain and fatique
- High carbon steel blade, PTFE coated for smooth cutting
- Lightweight cast aluminium body



Max Cut 20mm (¾")

7358RS - Convertible Ratchet **Anvil Secateurs**

- · Conversion switch allows either ratchet or standard cutting action
- Ratchet action means easier pruning in 4 short steps
- Standard cutting action can be preferable for thinner stems
- PTFE coated blade for rust resistance and smoother cutting



Max Cut 20mm (¾")

6358RS -**Ratchet Anvil Secateurs**

- · Ratchet action means easy pruning in 4 short steps
- High carbon steel blade, PTFE coated for smooth cutting
- Lightweight cast aluminium body
- Metal locking catch
- Finger guard for safety



Max Cut 20mm (34")




Added mechanical advantage on our secateurs helps to make gardening easier



6259BS -**Ergo Twist Bypass Secateurs**

- · Auto-rotating lower handle helps to minimise strain and fatigue
- SK5 blades
- Stepped locking catch for either wide or narrow cutting width
- PTFE coated for smooth cutting
- Lightweight cast aluminium body



Max Cut 15mm (5/8")

7458AS -**Geared Anvil Secateurs**

- · Geared cutting action more cut less effort
- Carbon steel blades for lasting sharpness PTFE coated blade for rust resistance and
- smoother cutting Soft feel ergonomic handle



Max Cut 15mm (%")

6160BS -**Premium Bypass Secateurs**


- Ergonomic lightweight aluminium handles
- Adjustable hand-opening for individual user comfort
- PTFE coated for smooth cutting and rust



Max Cut 15mm (5/8")

7459BS -**Geared Bypass Secateurs**

- · Geared cutting action more cut less effort
- Carbon steel blades for lasting sharpness
- PTFE coated blade for rust resistance and smoother cutting
- Soft feel ergonomic handle



6758GS -**Geared Anvil Secateurs**

- Geared action for easier cutting
- SK5 steel blade for lasting sharpness
- Lightweight cast aluminium body
- PTFE coated for smooth cutting and rust resistance
- Comfort grip
- Ambidextrous locking catch



Max Cut 15mm (5/8")







Secateurs

The Razorsharp® Advantage collection features the finest precision cutting range of tools and is the obvious choice for gardeners who demand and expect precise, powerful performance

6057BS -**Small Bypass Secateurs**

- Small handle ideal for smaller hands
- SK5 carbon steel blades
- Bi-material non-slip comfort grips and contoured handles
- PTFE coated blades for rust resistance and smooth cutting
- Drop nose blades for easier pruning
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber



Max Cut 10mm (%")

6059BS -**Medium Bypass Secateurs**

- · Medium sized handle
- SK5 carbon steel blades
- Bi-material non-slip comfort grips and
- contoured handles PTFE coated blades for rust resistance and
- smooth cutting • Drop nose blades for easier pruning
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber
- Stem crusher

Also available as part of a twin pack - 6070TP



Max cut 15mm (%")

6060BS -**Large Bypass Secateurs**

- Large handle ideal for larger hands
- SK5 carbon steel blades
- Bi-material non-slip comfort grips and contoured handles
- · PTFE coated blades for rust resistance and smooth cutting
- · Drop nose blades for easier pruning
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber
- Stem crusher



Max Cut 20mm (34")

7159BS - Bypass Secateurs

- Bypass action minimises stem bruising on green stems
- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated upper blade for rust resistance
- Hard chromed lower blade for rust resistance
- Ergonomic handles with soft feel grip for increased comfort
- Ambidextrous locking catch



6559BS - Adjustable Bypass Secateurs

- Two adjustable widths
- Smaller handle width ideal for smaller hands
- SK5 carbon steel blades
- . PTFE coated blades for rust resistance and smooth cutting



Bypass Secateurs that can cut a range of branch widths

The Razorsharp® Advantage collection features both Anvil and

- 6558AS -6058AS -**Adjustable Anvil Secateurs**
- Two adjustable widths
- Smaller handle width ideal for smaller hands
- SK5 carbon steel blades
- · PTFE coated blades for rust resistance and smooth cutting



Max Cut 15mm (%")

Medium Anvil Secateurs

- · SK5 carbon steel blades
- · Bi-material non-slip comfort grips and contoured handles
- PTFE coated blades for rust resistance
- Drop nose blades for easier pruning
- · Ambidextrous locking catch
- · Sap groove in blade · Shock absorber
- · Stem crusher

Also available as part of a twin pack - 6070TP

Max Cut 15mm (5/8")

7158AS -**Anvil Secateurs**

- · Anvil action minimises stem twisting on woody branches
- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated upper blade for rust resistance
- Hard chromed lower blade for rust resistance
- Ergonomic handles with soft feel
- grip for increased comfort Locking catch



Max Cut 15mm (%")



Razorsharp Active Secateurs

5959RSA -Medium Bypass Secateurs

- · Bypass action minimises stem bruising on green stems
- Extra large safety thumb catch
- Hardened carbon steel blade PTFE coated blade for rust resistance
- and smooth cutting Contoured ergonomic

Max Cut 15mm (%")

5958RSA -**Medium Anvil Secateurs**

- Anvil action minimises stem twisting on woody branches
- Extra large safety thumb catch
- Hardened carbon steel blade

5960RSA -**Large Bypass Secateurs**

- . Bypass action minimises stem bruising on areen stems
- Extra large safety thumb catch Hardened carbon steel blade
- PTFE coated blade for rust resistance
- and smooth cutting Contoured ergonomic

Max Cut 20mm (34")

 PTFE coated blade for rust resistance and smooth cutting Contoured ergonomic 5 YEAR YEAR Max Cut 15mm (%")



Shears

Our Razorsharp® Advance shears combine performance with extra features such as adjustable tensioning and geared action for easier cutting

4888HS -**Wishbone Hand Shears**

- · Adjustable tensioning
- 230mm Notched blade for cutting thicker stems
- Shock Absorbers
- Soft-grip handles for user comfort
- Wishbone shaped handles
- Chrome plated C50 carbon steel blade for resistance to rust, and strength and durability



Blade length 230mm (9")

8260RS -**Single Handed Grass Shears**

- 150mm Carbon steel blades for lasting sharpness
- PTFE coated blades for rust resistance and smooth cutting
- 360° rotating head allows you to cut at any angle
- · Adjustable height feature for cutting parallel to ground



Blade length 150mm (6")

8170RS -**Hand Shears**

- S50C carbon steel blades for lasting sharpness
- 200mm PTFE coated upper blade for rust resistance and smooth cutting
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort



Blade length 200mm (8")

4873MS - Multi-Shears • 150mm C50 carbon steel blades rotate 180° to allow use as either lawn shears or edging shears • Adjustable head angle - can also operate as straight, long reach shears • Extendable hand grip Adjustable setting of blade angle and head angle allows user to achieve neater, tidier cutting and edge finishing Blade length 150mm (6")



The Razorsharp® Advantage collection features a precision range of cutting tools and is the obvious choice for gardeners who demand and expect precise, powerful performance





- · PTFE coated blades for rust resistance and smooth cutting
- Non-slip comfort grips



Blade length 230mm (9")

8110RS - Hedge Shears

rust resistance · Notched for cutting thicker stems Shock absorber Soft-feel grips

· 230mm chrome plated blades for



Blade length 230mm (9")

4870RS - Edging Shears

- 230mm C50 carbon steel blades, hardened and tempered for durability



8120RS - Telescopic Shears

· Adjustable blade tension nut · Lightweight aluminium telescopic handles

- Twist and lock mechanism
- Shock absorber
- Soft-feel grips
- Handle extends from 340mm to 500mm
- and resistance to rust
- · Wavy edge blades to trap stems for more efficient cutting



Blade length 230mm (9")



Shears

Razorsharp Steel

4900RSS - Edging Shears

· Tubular steel handles for maximum strength

• 230mm hollow ground C50 carbon steel

blades for lasting sharpness

• Polished & lacquered blades

for rust resistance

Soft-feel grips

Shears

Razorsharp® Advantage shears, topiary shears and single handed grass shears

8150RS - Shears 4868SS - Wooden Wishbone Handle Shears · C50 carbon steel blades for lasting sharpness · Notched for cutting thicker stems Tubular steel handles for strength • Chrome plated for rust resistance Shock absorbers · Ergonomically designed wishbone shaped, weather proofed hardwood handles Non-slip soft feel grips for comfort • Blade length: 200mm (8") • Handle length: 340mm (13 3/8") Adjustable tensioning

4855TS -**Topiary Shears**

• 180mm high carbon steel blades

Blade length 200mm (8")



4755TS -**Compact Topiary Shears**

- Compact design, ideal for both small and large hands
- · Shorter blades allow closer, more precise cutting
- Great for working in confined
- Carbon steel blades
- Non slip PVC grip for safety

Blade length 107mm (41/4")

8130RS -**Single Handed Grass Shears**

· Cuts at any angle

Blade length 203mm (8")

- Twist to required position
- · Bi-material non-slip comfort grips
- Single handed operation
- 180mm PTFE coated blades for rust resistance and smooth cutting

Blade length 180mm (7")

for extra strength and durability.

- · Blade notched for cutting thicker stems
- 200mm hollow ground C50 carbon steel blades for lasting sharpness

4875RSS - Wood Handle Shears

- Solid hardwood handles
- rust resistance



Blade length 200mm (8")

Telescopic Shears

4904RSS -

4911RSS -**Telescopic Lawn Shears**

- Telescopic tubular steel handles for maximum strength
- Blade notched for cutting thicker stems
- C50 carbon steel blades for lasting sharpness
- Polished and lacquered blades for rust resistance Soft-feel grips · Handles extend from 340mm to 525mm



Blade length 230mm (9")

4901RSS - Lawn Shears

- · Tubular steel handles for maximum strength
- 230mm hollow ground C50 carbon steel blades for lasting sharpness
- Soft-feel grips

A super tough range - the Razorsharp® Steel collection is designed

to meet the most demanding standards, with tubular steel handles

for rust resistance



Blade length 230mm (9")

4912RSS -**Telescopic Edging Shears**

- · Tubular steel handles for maximum strength
- · Variable length telescopic handles extend to max of 1125mm
- Hollow ground C50 carbon steel blades for lasting sharpness
- · Soft-feel grips
- · Polished and lacquered



- Tubular steel handles for maximum strength
- Variable length telescopic handles extend to
- max of 1125mm Hollow ground C50 carbon steel

Blade length 230mm (9")

- blades for lasting sharpness · Soft-feel grips
- · Polished and lacquered blades for rust resistance



Blade length 230mm (9")



Razorsharp Active

Shears

Razorsharp Advance

Loppers

Soft grip hand shears, complete with a 5 year guarantee for added peace of mind.





Razorsharp PRO Loppers

8310RS - Heavy Duty Bypass Loppers 23 1/2"

- · Drop forged, carbon steel blades
- Forged aluminium shoulders
- Lightweight but strong aluminium handles
- Adjustable blade tension
- Shock absorbers
- Soft feel non-slip grips



8330RS - Heavy Duty Bypass Loppers 27 1/2"

- · Drop forged, carbon steel blades
- Forged aluminium shoulders
- Lightweight but strong aluminium handles
- Adjustable blade tension
- Shock absorbers



The Razorsharp® Advance collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials, to make gardening so much easier and more enjoyable



8211RS - 27" Dual Geared Bypass Lopper Dual geared cutting action for powerful cutting Bypass action best suited to living branches up 40mm (1.6") PTFE coated blade for smooth precise cutting · Serrated lower blade to minimise twisting Light yet strong aluminium handles Non-slip grips for safety and comfort • Overall length 675mm (27")



8230RS -17 1/2" Mini Geared Bypass Lopper

· S50C carbon steel blades for lasting sharpness

• PTFE coated upper blade for rust esistance • Light, but strong, tubular aluminium handles • Soft feel, non slip grips for comfort • Total length 450mm · Geared mechanism for easier cutting +20%
MECHANICAL
ADVANTAGE

Max Cut: 30mm (11/8")

8271RS - 27" Dual Geared Anvil Lopper

- Dual geared cutting action for powerful cutting
- Anvil action best suited to dead branches up to 40mm (1.6")
- PTFE coated blade for smooth precise cutting
- Serrated lower blade to minimise twisting
- Light yet strong aluminium handles
- · Non-slip grips for safety and comfort
- Overall length 675mm (27")



Max Cut: 40mm (1½")

8290RS -**Heavy Duty Telescopic Ratchet Anvil Lopper**

- · Ratchet action gives easy cutting in short steps ideal for cutting thicker, harder branches
- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated blade for rust resistance
- · Light, but strong, tubular aluminium handle
- · Soft feel, non slip grips for comfort
- · Locking catch for safe storage
- Extends 710mm 1030mm



Max Cut: 50mm (2")



Razorsharp Advance

Loppers

Razorsharp Advantage

Loppers

Razorsharp® Advance loppers are available in a variety of sizes to cut different diameter branches

8160RS - 26" Heavy Duty Anvil Lopper

- PTFE coated anvil for rust resistance and smooth cutting
- Guillotine cutting action
- · Non-slip comfort grips
- Lightweight aluminium handles
- · Serrated anvil for extra grip when cutting, minimising twisting action • Total length 660mm

Max Cut: 45mm (1¾")

Max Cut: 40mm (11/2")

8011RS - 22" Dual Compound Bypass Lopper

- Dual compound action for an amplified cutting force
- Bypass action best suited to living branches up to 40mm (1.6")
- PTFE coated blade for smooth precise cutting Serrated lower blade to minimise twisting



8280RS - 26" Bypass Lopper with 2R Blade

- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated blade for rust resistance
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort
- 2R double radius blade which allows a



Max Cut: 35mm (1\%")

8021RS - 22" Dual Compound Anvil Lopper

- Dual compound action for an amplified cutting force
- Anvil action best suited to dead branches up to 40mm (1.6")
- · PTFE coated blade for smooth precise cutting
- · Serrated lower blade to minimise twisting
- Light yet strong aluminium handles
- Overall length 570mm (22")



Max Cut: 40mm (11/2")

4930FZ - Telescopic Tree Pruner



and expect precise, powerful performance

The Razorsharp® Advantage collection features a precision cutting

range of tools and is the obvious choice for gardeners who demand

Max Cut: 30mm (11/8")



8031RS - 28" Dual Compound Bypass Lopper

- Dual compound action for an amplified cutting force
- Bypass action best suited to living branches up to 40mm (1.6")
- PTFE coated blade for smooth precise cutting
- Serrated lower blade to minimise twisting
- · Light yet strong aluminium handles
- · Non-slip grips for safety and comfort
- Overall length 710mm (28")

Max Cut: 40mm (11/2")

8041RS - 28" Dual Compound Anvil Lopper

- Dual compound action for an amplified cutting force
- Anvil action best suited to dead branches up to 40mm (1.6")
- PTFE coated blade for smooth precise cutting
- · Serrated lower blade to minimise twisting
- Light yet strong aluminium handles
- · Non-slip grips for safety and comfort
- Overall length 710mm (28")



Max Cut: 40mm (1½")



Loppers

Twist & Lock variable length telescopic handles can be adjusted mid use, making it easy to reach even the tallest branches

8071RS -**Dual Compound Telescopic Bypass Lopper**

- Dual compound action for an amplified cutting force
- Twist & lock variable telescopic handles 480mm 800mm
- Bypass action best suited to living branches up to 40mm (1.6")
- PTFE coated blade for smooth precise cutting
- Serrated lower blade to minimise twisting
- Light yet strong aluminium handles
- · Non-slip grips for safety and comfort



Max Cut: 40mm (1½")

8090RS -**Telescopic Ratchet Bypass Lopper**

- Twist and lock variable telescopic mechanism
- C50 carbon steel blades, hardened and tempered for durability
- · PTFE coated blade for rust resistance and smooth cutting • Non-slip comfort grips
- · Lightweight aluminium handles
- Extends 460mm 720mm

Max Cut: 42mm (15/8")

8081RS -

Dual Compound Telescopic Anvil Lopper

- Dual compound action for an amplified cutting force
- Twist & lock variable telescopic handles 480mm 800mm
- · Anvil action best suited to dead branches up to 40mm (1.6")
- PTFE coated blade for smooth precise cutting
- Serrated lower blade to minimise twisting
- Light yet strong aluminium handles
- · Non-slip grips for safety and comfort

Max Cut: 40mm (11/2")

Telescopic Ratchet Anvil Lopper

- Twist and lock variable telescopic mechanism
- C50 carbon steel blades, hardened and tempered for durability
- · PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles • Extends 460mm - 720mm +110%
 MECHANICAL
 ADVANTAGE

Max Cut: 42mm (1⁵/₈")

+110%
MECHANICAL
ADVANTAGE

Razorsharp Steel

Loppers

A super tough range - the Razorsharp® Steel collection is designed to meet the most demanding standards, with tubular steel handles for extra strength and durability



4903RSS - Telescopic Bypass Lopper · Polished and lacquered blades for rust resistance and smooth cutting • Tubular steel handles for maximum strength • PVC coated for rust resistance & durability · Compound cutting action for easier cutting Twist and lock variable telescopic mechanism Soft-feel grips • Extends 610mm - 940mm

4902RSS - Telescopic Anvil Lopper · Polished and lacquered blades for rust resistance and smooth cutting Tubular steel handles for maximum strength · PVC coated for rust resistance and durability Compound cutting action for easier cutting Twist and lock variable telescopic Soft-feel grips • Extends 610mm - 940mm

Max Cut: 42mm (15/8")

Max Cut: 42mm (15/8")

Razorsharp Active Loppers







108



B9821 -

Predator

Bow Saws

Razorsharp **Other Cutting**

A range of professional quality Bow Saws available in a variety of sizes and with spare blades for wet or dry cutting

B9821TF - 21" Taper Front

- 21" Predator Bow Saw • 21" (530mm)
- · Tension adjuster for faster, cleaner cuts for longer
- · Soft feel ergonomic handle/hand guard
- Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth) Sold fitted with Peg Tooth Blade



B9821WETBLADE 21" Raker Tooth Bow Saw Blade B9821DRYBLADE 21" Raker Tooth Bow Saw Blade

B9830 - 30" Predator Bow Saw

Tension adjuster for faster, cleaner cuts

Soft feel ergonomic handle/hand guard

(Peg Tooth) and soft/green wood (Raker Tooth)

Blades available for both hard wood

Sold fitted with Peg Tooth Blade

· Easy, rapid blade change

Predator Bow Saw

- 21" (530mm)
- Ideal for use in restricted spaces
- Tension adjuster for faster, cleaner cuts for longer
- Soft feel ergonomic handle/hand guard
- Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth). Sold fitted with Peg Tooth Blade



B9821WETBLADE 21" Raker Tooth Bow Saw Blade B9821DRYBLADE 21" Raker Tooth Bow Saw Blade

B9824 -24" Predator Bow Saw

- Tension adjuster for faster, cleaner cuts for longer
- Soft feel ergonomic handle/hand guard
- · Easy, rapid blade change
- Blades available for both hard wood (Peg Tooth) and soft/green wood (Raker Tooth) Sold fitted with Peg Tooth Blade



B9824WETBLADE 24" Raker Tooth Bow Saw Blade B9824DRYBLADE 24" Raker Tooth Bow Saw Blade

3621K - 21" Bowsaw

- Hardpoint blade which stays sharp up to
 - Teeth designed for fast and free cutting

 - Angled frame for cutting in restricted areas



3624Z - 24" Bowsaw

- Hardpoint blade which stays sharp up to 5 times longer than untreated blades
- · Teeth designed for fast and free cutting on forward and backward strokes
- Lever tension device for simple blade changing



4938PS - Fixed Blade **Pruning Saw**

cutting jobs in the garden

- Cuts branches up to 3½"/90mm
- Ultra sharp precision ground teeth
- 9" (225mm) Carbon steel blade for durability
- · Non slip ergonomic soft feel handle
- Scabbard with belt hook for



Total length 450mm

Large Pruning Saw

• 12" (305mm) SK5 carbon steel blade for lasting sharpness

A range of garden saws and pruning saws designed to tackle most

 Ultra sharp 7ppi precision ground teeth

4948PS -

- Chrome plated blade for rust resistance
- Blade locks in open and closed position



4933PS - Retractable **Pruning Saw**

- 6" (150mm) carbon steel blade
- 6ppi teeth are hardened and tempered for strength and durability
- Retractable blade can be stored safely inside handle when not in use
- Handy belt clip



4960RSA - Small Folding Pruning Saw

- 7" (178mm) carbon steel blade
- Hollow ground blade for enhanced cutting performance
- Ultra sharp 7ppi precision around teeth
- Folds for storage and blade protection
- Blade locks in open and closed



4943BE -**Garden Saw**

- Ideal for cutting wet (green) wood
- · Fast cut, rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration Comfortable handle - Suregrip® soft feel ergonomic grip and finger guide for accuracy, plus a 45/90° angle guide



4950WC -**Garden Wire Cutters**

- SK5 Steel blades
- · Clean precise cutting action eliminates frayed ends
- · Cutting capacity for wire rope -Maximum 4mm
- · Cutting capacity for high tensile steel -Maximum 2mm




Easy Reach Pruner

- · Rotating body and cutting head
- Carbon steel bypass action blades for a clean cut on green stems up to 7.5mm thick
- · Lightweight long handle

8200RS -

- PTFE coated cutting blade for
- for fruit/flowers





• 30" (760mm)

for longer

B9830WETBLADE 30" Raker Tooth Bow Saw Blade B9830DRYBLADE 30" Raker Tooth Bow Saw Blade

- 5 times longer than untreated blades
- on forward and backward strokes
- Lever tension device for simple blade changing

Spare blade 3921W





Razorsharp patio knives and blade sharpeners...

Razorsharp Other Cutting

10 YEAR

4854WP - Weed Puller • Rust resistant Stainless Steel claws insert in the ground and close around weeds for effective removal • Long nylon and fibreglass handle that is lightweight, strong and durable, with a sliding mechanism that allows for easy ejection of pulled weeds • The fold-away step plate allows for extra force to be applied when inserting the weed puller in the ground



4053BS -**Blade Sharpener**

- Durable tungsten carbide sharpening blade
- Removable oil-soaked sponge for extra rust protection
- Durable lightweight body with non-slip grip
- Finger guard safeguards fingers from harm when sharpening



4056BS - 6 in 1 **Blade Sharpener**

- 4 sharpening options to cover a wide range of different blade types
- Cleaning sponge and lubricating/ anti-corrosion oil stored inside handle
- Soft-feel non-slip grip



4153PK -**Patio Knife**

- Stainless steel blade • 2 cutting edges for hard to
- reach places • Ergonomic soft-grip handle



5253PK - Telescopic Patio Knife

- Telescopic handle extends to 1525mm (60") to suit all heights
- Stainless steel blade for rust resistance
- Double riveted blade for
- easier use



4152GS - All Purpose Scissors

- · Stainless steel blades for
- Ergonomic soft feel handles
- · Locking catch for safer storage
- · Suitable for both indoor and outdoor use



4152GSSF - Comfort Garden Scissors

- Spring action
- Durable carbon steel blades with chrome finish
- Shock absorbers
- Soft feel ergonomic handles
- · Locking catch for safer storage



4352MS - Multi-Function Scissors

- Ideal for kitchen or garden
- Stainless steel blades
- Soft feel ergonomic handles



3152HS - Herb Scissors

- Overall length 7½"(190mm)
- Stainless steel blades
- · ABS plastic handles and sheath
- Dishwasher safe
- · Five pairs of blades for fast herb chopping

 Also great for shredding documents or for arts and crafts





Razorsharp **Other Cutting**

3765LM - 6.5lb **Log Splitting Maul**

Made to internationally

10 YEAR

The Razorsharp range of Cutting **Axes and Splitting Mauls** Carbon steel head for strength and durability Lightweight but strong nylon/fibreglass handle moulded around axe head for maximised safety

7704FG -0.4kg Cutting Axe

- Ideal for one handed use
- For cutting small limbs and felling



7706FG -0.6kg Cutting Axe

- Ideal for one handed use
- For cutting small limbs and felling



7710FG -**1kg Cutting Axe**



7718FG -1.8kg Cutting Axe

· For cutting larger limbs and felling splitting action

The Razorsharp range of Axes, Hatchet and Log Splitting Maul

3715AB -1.5lb Hatchet

- Made to internationally recognised DIN standard
- Drop forged carbon steel head, hardened and tempered
- · Hickory shaft for strength
- · Blade guard for added safety when not in use



Handle length 380mm

3725CD -2.5lb Axe

- Made to internationally recognised DIN standard
- Drop forged carbon steel head, hardened and tempered
- · Hickory shaft for strength
- · Blade guard for added safety when not in



Handle length 485mm

3745EF -4.5lb Axe

- Made to internationally recognised DIN standard
- · Drop forged carbon steel head,
- Hickory shaft
- for strength
- Blade guard for added safety when not in use

Handle length 845mm



SPLITTER - Wood Splitter

- All metal construction
- Angled contour to maximise the 4 way grain



Overall height 170mm

4752SS - 12" Scythette

• 12" (305mm) blade



• 12" (305mm) blade

Handle length 885mm

4731SL - Little Giant Grass Hook

- Replaceable blade
- · Weatherproofed hardwood handle




Handle length 345mm

Handle length 890mm



Traditional Stainless Range







Traditional Stainless

Digging

Traditional Stainless Cultivating

The Traditional range of digging tools has been created by combining modern and natural materials to create a timeless classic

4450DS - Digging Spade

· Ideal for heavy digging and turning over soil



4550DF - Digging Fork

- · Ideal for digging and breaking up soil
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle



4454BS -**Border Spade**

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- · One-piece hardwood shaft, split to form a wishbone
- Smaller head for digging and turning over in borders and
- Treaded for user comfort



4552BF -**Border Fork**

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood
- · One-piece hardwood shaft,
- Lighter fork with a smaller



4813BP -**Long Handle Bulb Planter**

- · Stainless steel head
- Mirror polished for rust resistance, minimal soil adhesion and easy cleaning
- Weatherproofed hardwood shaft for strength and durability
- Wide T grip handle for comfort and ease of use
- Extra long handle reduces the need for bending and helps to minimise back strain
- Treaded head gives a firm base under the foot giving more force when breaking the soil
- Metric and Imperial depth markings for accurate planting



hardwood handles

- · Cuts through the roots of
- can hoe on both the forward and backward stroke
- head for rust resistance and minimal soil adhesion
- shaft for greater durability



- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

4812FR - Lawn Rake (Flexo)

- · Excellent for removing moss and
- thatch and light aeration

4811EK - Edging Knife

4860SW - Angled Hoe

· Cuts through the roots of

minimal soil adhesion

Weatherproofed hardwood

Ideal for working around

established plants

shaft for greater durability

weeds under the surface

Mirror polished stainless steel

head for rust resistance and



48<u>50SR</u> - Soil Rake

- · Ideal for raking soil into a fine tilth
- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

RIDDLE - Garden Riddle

Ideal for sifting soil and removing stones

1000000000

- · 330mm diameter
- 10mm square base plate holes
- · Chrome plated steel for durability



118 www.spear-and-jackson.com 119





- weeds under the surface Two chamfered edges so you
- · Mirror polished stainless steel
- Weatherproofed hardwood






The Traditional range of cultivating tools feature mirror

polished stainless steel heads and weatherproofed











Traditional Stainless

Hand Tools

This range of Traditional stainless hand tools includes a variety of sizes of handle for different applications

5030TR - Trowel 5 ½" Handle

- · Essential planting and weeding tool, ideal for use in borders, tubs and pots
- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Leather wrist strap



5040WF - Weed Fork 5 1/2" Handle

- Ideal for breaking up compacted soil around shrubs and plants
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability



5090PW - Planting and Weeding Knife

- Mirror polished stainless steel head for minimal soil adhesion and rust resistance
- Serrated edge for increased cutting power through thin roots
- Pronged blade for removing weeds and daisies
- Chamfered notch for slicing twine
- · Graduated blade for easier measurement when planting
- Hardwood handle weather proofed



5080TT -**Transplanting Trowel**

- · A narrow blade ideal for transplanting plants
- Features blade depth markings
- · Stainless steel head for rust resistance and minimal soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance



5060SS -**Soil Scoop**

- · Deeply dished to hold extra soil
- · Stainless steel head for rust resistance and minimal soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Leather wrist strap



5010TR -**Trowel 12" Handle**

- · Ideal for use in borders, pots and tubs
- Stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability



5110WF -Weed Fork 12" Handle

- For breaking up compacted soil
- · Stainless steel head for rust resistance and minimal soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Longer handle for





Traditional Stainless

Hand Tools

The Traditional stainless range of garden tools includes a ten year guarantee

5210PC -12" Handle 3 Prong Cultivator

- · Ideal for breaking up topsoil without digging, combines forking and raking actions
- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood handle for greater durability



5070DG -**Daisy Grubber**

- · Designed for removing daisies and weeds from lawns with minimal damage
- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood handle for greater durability



5310TR -**Trowel 42" Handle**

- · Longer handle provides better reach
- Mirror polished stainless steel head for rust resistance and minimal soil
- · Weatherproofed hardwood shaft for greater durability
- Ideal for breaking up and turning soil between plants and shrubs



5510WF -Weed Fork 42" Handle

- · Longer shaft provides better reach
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- Ideal for breaking up soil between plants and shrubs

50500H -**Onion Hoe**

- · Designed for hoeing between crops such as onions
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- Tanged for knuckle clearance



5610DB -Dibber

- Use for forming holes in the soil for planting seeds and seedlings quickly and easily
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability



7945HS -**Hand Shear**

- · Weatherproofed hardwood handles for greater durability
- Durable hardened carbon steel blades



4350CS -

5100BP -

Bulb Planter

· Stainless steel head with leading edge for

· Mirror polished for rust resistance, minimal soil

· Weatherproofed hardwood shaft with handy

easier insertion into the ground

adhesion and easy cleaning

leather wrist/storage strap

· Mirror polished stainless steel head for rust resistance and minimal soil adhesion

Children's Stainless Steel Spade

NEW

 Weatherproofed hardwood shaft for greater durability



5710BP -Midi Bulb Planter

Weatherproofed hardwood handles offer durability and appeal to those

gardeners who prefer garden tools with a 'traditional' appearance

· 370mm overall length




7946SH -**Single Handed Topiary Shear**

- · Weatherproofed hardwood handles for greater durability
- Durable hardened carbon steel blades



4250CF -Children's Stainless Steel Fork

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood shaft for
- greater durability
- · One-piece hardwood shaft, split to form a wishbone handle





4035SET -**Trowel & Weed Fork Set**

- · Mirror polished stainless steel heads for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist strap





Neverbend Carbon Range

Supergrip® handle is forward tilting to give the ideal digging angle

The Neverbend® Carbon digging range easily exceeds the BS3388 load test, thanks to the head and extra long socket being forged from one piece of carbon steel for added strength.

Solid forged carbon steel head and extra long socket for strength. Up to 50% stronger than stainless steel





Neverbend Carbon digging range

Neverbend Carbon long handled cultivating tools and rakes

Neverbend Carbon Range

1180NB - Digging Spade

- Solid forged carbon steel head and extra long socket for strength
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- · Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal digging angle
- Treaded for more comfortable

1184NB - Border Spade

- · Smaller headed, lighter alternative to a Digging Spade
- Solid forged carbon steel head and extra long socket for strength
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal digging angle
- Treaded for more comfortable digging

3818NB - Edging Knife

15 YEAR

- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft. powder-coated
- Polypropylene T-grip
- Treaded blade



- · Solid forged carbon steel head and extra long socket for strength
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

1680NB - Digging Fork

• Supergrip® handle - forward tilt gives the ideal digging angle

1684NB - Border Fork

- · Smaller headed, lighter alternative to a Digging Fork
- Solid forged carbon steel head and extra long socket for strength
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal digging angle

2581NB - Shovel

- Square, open socket shovel
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil



3588NB - Draw Hoe · Hammer finish powder-coated head for

- improved resistance to rust, scratches, humidity and alkalis in the soil · Tubular aluminium shaft.
- powder-coated
- · Long, soft-feel grip
- · Ideal for creating a smooth tilth through a pull-push action



2422NB - Root Breaker

- 100mm (4") wide, heavy duty forged carbon steel
- · Tubular steel shaft
- · Tilted ergonomic hilt for easier use



Overall length 1160mm (45 1/2")

3580NB -**Dutch Hoe**

- · Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, powder-coated
- Long, soft-feel grip
- · Two chamfered edges, to hoe on forward and backward stroke
- Cuts through the roots of weeds below the surface of the soil



3882NB -Adjustable Lawn Rake

- Fully adjustable 15 steel tined rake head
- Adjusts from 7" to 24" span to suit all raking applications
- · Lightweight aluminium shaft
- PVC grip



3881NB -**Deluxe Lawn (Flexo) Rake**

- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular steel shaft, powder-coated
- · Long, soft-feel grip





Cultivating tools, including rakes and our 3 pronged cultivator

Neverbend Carbon hand tools feature hammer finished heads for improved resistance to rust, scratches and alkalis in the soil

Neverbend

Carbon Range

3880NB - Soil Rake

- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, powder-coated
- · Long, soft-feel grip



3884WNB - Plastic Leaf Rake

3884NB - Plastic Leaf Rake

- Tubular aluminium shaft, powder-coated
- · Long, soft-feel grip



3883NB - Cultivator

- Hammer finishpowder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Extra long, weatherproofed hardwood shaft for greater durability





4090NB - Hand Trowel 4094NB - Weed Fork

- Carbon steel head
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- 5" handle



- Carbon steel head
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance



4092NB - Transplanting Trowel

- · Carbon steel head
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance




4096NB - Daisy Grubber







Neverbend Stainless Range







Neverbend

Stainless

The Neverbend Stainless tool features long handled cultivating tools along with hand tools

10 YEAR GUARANTEE

1160SP - Digging

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for strength
- Weatherproofed hardwood shaft for greater durability



1560SF - Digging Fork

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Extra long socket for strength
- Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal digging angle



1161BS - Border Spade

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for strength
- · Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal digging angle
- in borders and



1561BF - Border Fork

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for strength
- Weatherproofed hardwood shaft for greater durability
- Supergrip[®] handle forward tilt gives the ideal digging angle
- smaller head for use in borders and between



3981EK -**Edging Knife**

- · Mirror polished stainless steel head for rust resistance and
- Treaded blade
- Weatherproofed greater durability
- forward tilt gives the ideal digging angle



- minimal soil adhesion
- hardwood shaft for



3983DH -**Dutch Hoe**

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Long weatherproofed hardwood shaft for greater durability
- Two chamfered edges so you can hoe on both the forward and backward stroke



3980SR -**Garden Rake**

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Long weatherproofed hardwood shaft for greater durability
- 12 teeth

3982FR -Lawn (Flexo) Rake

- Ideal for raking soil into a fine tilth
- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Long weatherproofed hardwood shaft for greater durability
- 16 stainless steel tines



3010TR - Trowel

- Handle length 127mm (5")
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability
- Stainless steel ferrule
- Tanged for knuckle clearance



3060WF - Weed Fork

- greater durability



3020SP - Transplanting Trowel

- Handle length 127mm (5")
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability
- Stainless steel ferrule





Neverbend Professional

Spades, Forks, Cultivating & Lawn Care





Neverbend Professional

Spades, Forks, Cultivating & Lawn Care

The Neverbend Professional range of solid forged spades are specially designed to be hard wearing

10 YEAR

1070AK - Digging Spade

MYD handle

136

- · Solid forged carbon steel head and socket
- · Long lipped socket, riveted for added strength
- · Hammer finish powder coated head for improved resistance to rust, scratches, humidity alkalis in
- Weatherproofed hardwood shaft for greater durability

1071AL - Treaded Digging Spade

- MYD handle
- Solid forged carbon steel head and socket
- · Long lipped socket, riveted for added strength
- Hammer finish powder coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- · Weatherproofed hardwood shaft for greater durability
- Treaded for more comfortable digging



1307HDS - Heavy Duty Spade

1570AL - Digging Fork

- MYD handle
- Solid forged carbon steel head and socket
- · Long lipped socket, riveted for added strength
- · Hammer finish powder coated head for improved resistance to rust, scratches, humidity and alkalis the soil
- Weatherproofed hardwood shaft for greater durability

1650SN - Potato Fork

- MYD handle
- Solid forged carbon steel head and socket
- Extra wide tines for lifting potatoes
- · Hammer finish powder coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

3805AS - Edging Knife

- T handle
- · Solid forged carbon steel head
- · Hammer finish powder coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

3540BT - Dutch Hoe

- Long handle
- · Carbon steel head and socket
- · Hammer finish powder coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

3840EY - Garden Rake

- Long handle
- Heavy duty carbon steel head
- Hammer finish powder coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- 12 teeth

Flexo Lawn Rakes

- Two handle sizes 48" & 54"
- · Heat treated tines designed to withstand the toughest use
- The rake's 20 tines wrap around the rivets at the back of the plate to reduce the risk of them becoming detached

during use Weatherproofed hardwood shaft for greater durability 3872HD 48" 3872HDLH 54

8208ST - Landscaping Rake

- · Carbon steel head for strength
- · Metal brackets for increased rigidity
- · Powder coated head for rust resistance
- · Weatherproofed wood handle for extended life
- 18 steel teeth





Elements Range



10 YEAR **GUARANTEE**



Elements

Digging Tools

ElementsCultivating Tools

Weatherproofed ash shafts with soft feel grips for comfortable use

10 YEAR

Y

Heat treated (hardened) carbon steel head for strength and durability Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil Weatherproofed (clear lacquered) ash wood shaft for greater durability Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle Polypropylene 'D' handle

Heat treated (hardened) carbon steel head for strength and durability Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil Weatherproofed (clear lacquered) ash wood shaft for greater durability Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle Polypropylene 'D' handle

Heat treated (hardened) carbon steel head for strength and durability Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil Weatherproofed (clear lacquered) ash wood shaft for greater durability Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle Polypropylene 'D' handle



Elements long handled cultivating tools with carbon steel heads for strength and durability











Elements Cultivating Tools

4183NB - 3 Prong Cultivator

Ideal for breaking up topsoil without digging, combining forking and raking actions

- Heat treated (hardened) carbon steel head for strength
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel grip

4164NB - Edging Knife

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel handle for comfortable use and extra grip
- Treaded blade



4184NB - Plastic Leaf Rake

- Tough but flexible plastic rake head with 24 tines
- Weather proofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel grip



4063NB - Aerator

- Hammer finish powder-coated carbon steel frame for improved resistance to rust, scratches, humidity and alkalis in the soil
- Reduces compaction and improves soil



4155NB - Flexo Lawn Rake

- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil



Elements Hand Tools Durable, high-performing and affordable, the Elements Hand Tools range was integral to the Spear & Jackson 'Grow Your Own' programme.

Weatherproofed ash handles together with

hardened carbon steel heads make for a firm

favourite amongst home gardeners who like

reliability in their trowels, forks, hoes and dibbers.

Elements Hand Tools

10 YEAR GUARANTEE

4058NB - Trowel

- · Essential planting and weeding tool, ideal for use in borders, tubs and pots
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- · Weatherproofed (clear lacquered) ash wood handle for greater durability



4053NB - Weed Fork

- · Ideal for breaking up compacted soil around shrubs and plants
- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil



• Weatherproofed (clear lacquered) ash wood handle for greater durability



4064NB -**Planting & Weeding Knife**

- · Powder-coated carbon steel head for resistance to rust, scratches, humidity and excessive acidity or alkalis in the soil
- · Serrated edge for increased cutting power through thin roots
- Graduated blade for easier measurement when planting
- · Hardwood handle weather proofed for greater durabili
- Leather wrist strap for easy storage

Transplanting Trowel • Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil

4054NB -

- · Weatherproofed (clear lacquered) ash wood handle for greater durability
- Graduation markings on blade




Soil Scoop • Hammer finish powder-coated head for

4055NB -

- improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap









Elements

Hand Tools

Grow Your Own


Cold Frames & Raised Bed Kits

Hammer finished powder-coated heads, with durable leather straps for easy storage

4062NB - Dibber

Used for forming holes in the soil for planting seeds and seedlings quickly and easily

- · Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability



4059NB - Dandelion Weeder

- · Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Strong round bar and notched tip for weeding dandelions, with long shaft to reach tap roots



4057NB - Daisy Grubber

Used for removing daisies and weeds from lawns with minimal damage

- · Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- · Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap



4052NB -**Onion Hoe**

Designed for hoeing between crops and lifting onions

- Hammer finish powder-coated head for improved resistance to rust, scratches. humidity and alkalis in the soil
- · Weatherproofed (clear lacquered) ash



4061NB -**Long Handled Trowel**

- Hammer finish powder-coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacguered) ash wood handle for greater durability
- Soft-feel handle for comfortable use and extra grip
- Long handle helps to reduce back strain



4060NB -**Long Handled Weed Fork**

- · Hammer finish powder-coated head for improved resistance to rust, scratches,
- humidity and alkalis in the soil
- · Weatherproofed (clear lacquered) ash wood handle for greater
- Soft-feel handle for comfortable use and extra grip



Cold Frames

Protects plants from adverse weather

- Made from timber, sourced from well managed forests
- Tanalised wood finish for higher degree of weatherproofing
- Durable plastic panes
- · Fasteners and assembly instructions included
- Available in 3 sizes

COLDFRAME1 900 x 460 x 450mm

COLDFRAME2 900 x 800 x 590mm

COLDFRAME3 690 x 490 x 1200mm



Easy to assemble with tanalised finish for weather protection





Raised Bed Kits

Perfect for creating a vegetable patch or raised flower bed for easier access with less bending/back strain

- Made from timber, sourced from well managed forests
- Tanalised wood finish for higher degree of weatherproofing
- Fasteners and assembly instructions included
- Available in 4 sizes

RAISEDBED1 1200 x 1200 x 300mm RAISEDBED2


1250 x 1250 x 180mm **RAISEDBED3**

1800 x 1200 x 300mi **RAISEDBED4**

1800 x 1200 x 180mm







Select Stainless Range

Extra wide handle for comfort

Polypropylene shaft with integral ergonomic forward tilting handle

Mirror polished stainless treaded steel head for rust resistance and minimal soil adhesion

The Select digging range easily exceeds the BS3388 load test.

10 YEAR **GUARANTEE**



Select Stainless

Digging

Select Stainless Cultivating

Mirror polished stainless steel heads for rust resistance and minimal soil adhesion

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Lightweight aluminium shaft

3135EL - Dutch Hoe

- Long, soft-feel grip
- Two chamfered edges so you can hoe on both the forward and backward stroke



3166EL - Rapid Hoe

· Oscillating head for optimum pull/push hoeing

Stainless steel blade for minimal soil

3167EL - Allotment Hoe

- · Multi-purpose head can serve to hoe, rake and create neat furrows
- Stainless steel blade for minimal soil adhesion and rust resistance
- · Light but strong aluminium handle with non-slip soft grip







1994EL - Border Fork

A lighter alternative to the digging fork with a smaller head, ideal for use in between established plants

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Polypropylene shaft with integral, ergonomic forward tilting extra wide handle
- Manufactured to exceed BS3388 British Standard load tests

1194EL - Border Spade

1990EL - Digging Fork

A lighter alternative to the digging spade with a smaller head, ideal for use in between established plants

- Mirror polished stainless steel treaded head for rust resistance and minimal soil adhesion
- Polypropylene shaft with integral, ergonomic forward tilting extra wide handle
- Manufactured to exceed BS3388 British Standard load tests



3145EL - Soil Rake

Used for raking soil into a fine tilth


Mirror polished stainless steel head for rust



3155EL - Flexo Lawn Rake

Excellent for moss & thatch removal and light aeration

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Lightweight aluminium shaft
- · Long, soft-feel grip



3164EL - Edging Knife

Used for creating a neat edge around a lawned area

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Treaded blade for comfort







Select Stainless

Hand Tools

Select Stainless hand tools are tanged for knuckle clearance and ease of use and feature a handy hanging hole on the handle

3053EL - Weed Fork

Ideal for weeding and breaking up soil around plants and shrubs

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Bi-material contoured handle



3058EL - Hand Trowel

Essential planting and weeding tool, ideal for use in pots, tubs and borders

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Bi-material contoured handle
- Tanged for knuckle clearance



3062EL - Transplanting Trowel

Ideal for accurate planting and transplanting of shrubs and plants.

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- · Bi-material contoured handle
- Tanged for knuckle clearance
- Thinner blade for transplanting plants and seedlings
- Depth gauge on blade to



3048EL - Weeder & Fulcrum

Ideal for levering out stubborn weeds.

 Mirror polished stainless steel head for rust resistance and minimal soil adhesion



3063EL - Mini Hand Rake

Ideal for creating a finer tilth in small spaces such as pots and tubs.

- Bi material contoured comfort grip handle
- Tanged for knuckle clearance
- resistance and minimal soil adhesion



3060EL - Bulb Planter

- · Stainless steel body for rust resistance and minimal soil adhesion
- Spring loaded adjustable handle for faster and easier release of soil

152



SELECT3PS

Select Stainless trowel, weed fork and transplanting trowel set

- Mirror polished stainless steel heads for rust resistance
- Ergonomic soft feel handles
- Tanged for knuckle clearance



3064EL - Weeder Hoe

Ideal for hoeing weeds in smaller spaces.

- Bi material contoured comfort grip handle
- resistance and minimal soil adhesion



3065EL - Mini Patio Knife

Ideal for removing moss and thatch from smaller spaces such as rockeries.

- Bi material contoured comfort grip handle
- Tanged for knuckle clearance
- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion



Select Carbon

Digging, Cultivating & Hand Tools



Our range of Select Carbon digging, cultivating and hand tools is highly affordable. Featuring powder-coated carbon steel heads, the tools are not only super strong but have the added benefit of being scratch resistant - an added bonus for those who like tools to retain that 'new' look.



Soft-grip, forward tilt gives the ideal **YEAR GUARANTEE** Carbon steel head and socket heat treated for strength

2135NS -**Dutch Hoe**

- · Carbon steel head heat treated for strenath
- · Powder coated head for improved resistance to rust, scratches, humidity and alkalis in
- Tubular steel shaft
- Long soft feel grip



- Carbon steel head heat treated for strenath
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil



2190NS -**Digging Spade**

Ideal for digging and turning over soil

- · Carbon steel head and socket heat treated for strength
- Powder coated head for resistance to rust, scratches, humidity and alkalis in soil
- Soft-grip forward tilt for ideal digging angle
- Made to exceed BS3388 British Standard load tests



Digging Fork

Ideal for digging over and breaking up compacted soil

2990NS -

- Carbon steel head and socket heat treated for strength
- Powder coated head for resistance to rust, scratches, humidity and alkalis in soil
- Soft-grip forward tilt for ideal digging angle



2145NS

Soil Rake

· Carbon steel head heat

treated for strength

Powder coated head

for resistance to rust,

2155NS **Flexo Lawn Rake**

- · Carbon steel head heat treated for strength
- · Powder coated head for resistance to rust, scratches and humidity



2194NS -**Border Spade**

Lighter alternative to the digging spade with a smaller head

- · Carbon steel head and socket heat treated for strength
- Powder coated head for resistance to rust, scratches, humidity and alkalis in soil
- Soft-grip forward tilt for ideal digging angle
- Made to exceed BS3388 British Standard load tests



2994NS -**Border Fork**

Lighter alternative to the digging fork with a smaller head

- Carbon steel head and socket heat treated for strength
- Powder coated head for resistance to rust, scratches, humidity and alkalis in the soil
- Soft-grip forward tilt for ideal digging angle
- Made to exceed BS3388 British Standard load tests

2058NS -**Trowel**

- · Carbon steel head heat treated for strenath
- Tanged for knuckle clearance
- · Powder coated head for resistance to rust, scratches, humidity and alkalis in soil
- Ergonomic soft-grip handle



Weed Fork

2053NS -

Ideal for breaking up compacted soil around plants

- · Carbon steel head heat treated for strength
- Tanged for knuckle clearance
- Powder coated head for resistance to rust. scratches, humidity and alkalis in soil
- Ergonomic soft-grip





Colours Range

10 YEAR GUARANTEE

Bypass Secateurs

- Metal handle Bypass Secateurs
 Soft grip handle for comfortable use
 Cuts stems, twigs and branches up to a maximum diameter of 15mm



56526G Green, 56526B Blue, 56526P Pink

Shears

- Shears for tidying and trimming shrubs, hedges and grass
 9" wavy edge blades
 Light but strong aluminium handles
 Non-slip grips for comfort



55509G Green, 55509B Blue, 55509P Pink



Colours

Snips

Colours Gift Sets

10 YEAR



56418B -**Garden Snips in Blue**

- SK5 steel blades for lasting sharpness
- · Complete with a built-in locking catch for safe handling and storage
- Available in three eye-catching colours



56418P -**Garden Snips in Pink**

- SK5 steel blades for lasting sharpness
- Complete with a built-in locking catch for safe handling and storage
- · Available in three eye-catching colours



56418G -**Garden Snips in Green**

- SK5 steel blades for lasting sharpness
- · Complete with a built-in locking catch for safe handling and storage
- Available in three eye-catching colours



COLOURS3PS

Trowel, Weed Fork and Transplanting Trowel Set

- · Carbon steel heads for strength and durability
- Weatherproofed wooden handles and leather strap for easy storage
- · Epoxy coated for resistance to rust



CUTTINGSET9P

Bypass Secateurs and Mini Snips Set in pink

- SK5 secateur blades for lasting sharpness
- Cast aluminium handles
- Soft grip inserts
- · Locking safety catches



COLOURS3PSSS

Stainless Weed Fork, Trowel and **Transplanting Trowel Set**

- Stainless steel heads for rust resistance and minimal soil adhesion
- Ergonomic soft feel handles for user comfort



CUTTINGSET10G

Bypass Secateurs and Wavy Blade Hand Shears Set in green

- Secateurs with SK5 blades, shears with C50
- Lightweight aluminium handles
- Soft feel inserts on secateurs, plus cushion grips on shears
- Locking catch on secateurs for safety



CUTTINGSET10P

Bypass Secateurs and Wavy Blade Hand Shears Set in pink

- Secateurs with SK5 blades shears with C50
- Lightweight
- Locking catch on



CUTTINGSET11B

Bypass Secateurs and Geared Action Bypass Lopper Set in blue

- Secateurs with SK5 blades, lopper with C50
- Lightweight aluminium handles
- Soft feel inserts on the secateurs plus cushion grips on loppers
- Locking catch for safety secateurs
- Geared cutting action on lopper, more cutting power for less effort





Gift Sets Range

Gift Sets Range

Spear & Jackson gift sets feature great quality tools attractively packaged to create the perfect gift! Choose from our Hand Tool and Cutting Tool sets, Colours range or our Occasions range, with those special events etched onto the tools - a great keepsake!



Tool sets containing a trowel, weed fork and a transplanting trowel in a choice of tool ranges

TRAD3PS - Traditional Stainless weed fork, trowel and transplanting trowel set

- · Mirror polished stainless steel heads for rust resistance
- · Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist straps

10 YEAR



3056GS - Neverbend Stainless weed fork, trowel and transplanting trowel set

- · Mirror polished stainless steel heads for rust resistance
- · Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Stainless steel ferrules



ELEMENTS3PS - Hand trowel, weed fork and transplanter set

- · Carbon steel heads for maximised strength
- Hammer finish epoxy coated heads for improved resistance to rust, scratches, humidity and alkalis in the soil
- · Weatherproofed hardwood handles for greater durability
- Durable leather straps

10 YEAR



4035SET - Tiny Traditions Childrens Trowel and Weed Fork Set

- · Mirror polished stainless steel heads for rust resistance and minimal soil adhesion
- · Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist strap

10 YEAR



10 YEAR



Spear & Jackson

Gift Sets

Hand tool & cutting gift sets, perfect presents for any gardener

HANDTOOLSET1 - Stainless steel weed fork and trowel set

- · Mirror polished stainless steel heads for rust resistance
- · Weatherproofed hardwood handles for greater durability



POTTING3PS - 3 piece stainless steel mini potting tools set

- · Mirror polished stainless steel heads for rust resistance
- · Weatherproofed hardwood handles for greater durability
- Ideal for use in pots, tubs and balcony gardens
- Contains:
- Hand Trowel



SELECT3PS - Select Stainless trowel, weed fork and transplanting trowel set

- Mirror polished stainless steel heads for rust resistance
- Ergonomic soft feel handles
- Tanged for knuckle clearance

10 YEAR



CUTTINGSET6 - Bypass secateurs and stainless steel snips set

- · Cast aluminium alloy handles for strength
- Snips with stainless steel blades and soft feel handles for comfortable use



CUTTINGSET8 - Traditional secateurs set, drop

Vintage styling, ideal gifts for the traditional gardener

• Drop forged carbon steel blades for strength and durability

forged bypass and anvil secateurs

• Non-slip cushion grips for increased comfort



CUTTINGSET7 - Pruning holster set, bypass secateurs and pruning knife

- · Drop forged secateurs blades for strength and durability
- Handy, folding pruning knife, ideal for pruning or budding



CUTTINGSET17 -Secateurs & Snips

- Drop-forged carbon steel blades for strength and durability
- Non-slip cushion grips for increased comfort
- . Contains a pair of Bypass Secateurs for cutting live green stems and a pair of Snips for precision pruning



6070TP - Medium bypass and anvil secateurs twin pack

- Medium bypass secateurs 6059BS
- Medium anvil secateurs 6058AS





Spear & Jackson Gift Sets

Cutting gift sets combine secateurs with a wide range of other cutting tools to create the perfect choice for any requirement

CUTTINGSET2 - Bypass and anvil secateurs set

- SK5 carbon steel upper blades for lasting sharpness
- PTFE coated upper blades and hard chromed lower blades for rust resistance
- Ergonomic, soft feel handles for comfort
- Ambidextrous locking catch

10 YEAR

10 YEAR



CUTTINGSET1 - Ratchet anvil secateurs and blade sharpener set

- Secateurs High carbon steel blade for lasting sharpness
- Ratchet action secateurs with light weight aluminium body and metal locking catch
- Blade sharpener with 4 options
- Blade sharpener handle contains sponge and lubricating/ anticorrosion oil



CUTTINGSET3 - Adjustable width secateurs and gloves set

- SK5 carbon steel upper blades coated with PTFE for rust resistance
- Two cutting widths
- Smaller handle width, ideal for ladies
- Ergonomic soft feel handles
- Ambidextrous locking catch



CUTTINGSET4 - Bypass secateurs and holster set

- · SK5 carbon steel blades for rust resistance
- Forged aluminium handle
- Sap groove and riveted lower blade

10 YEAR

- Rubber shock absorber
- Notched blade for thicker stems
- Real leather holster with belt clip

10 YEAR



Etched Trowel Gift

OCCTY - "Thank you"

Stainless steel etched hand trowel, packaged to make the perfect gift

- Mirror polished stainless steel resistance
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- · Leather wrist straps

10 YEAR

• Merchandiser available



The Occasions Range consists of 4 beautifully packaged etched trowel gift sets and a merchandiser for displaying

OCCGQ - "Gardening Queen" Etched Trowel Gift

Stainless steel etched hand trowel, packaged to make the perfect gift

- Mirror polished stainless steel resistance
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist straps
- Merchandiser available





OCCWBG - "World's Best Gardener" Etched Trowel Gift

Stainless steel etched hand trowel, packaged to make the perfect gift

- Mirror polished stainless steel resistance
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist straps

10 YEAR

Merchandiser available



OCCHB - "Happy Birthday" Etched Trowel Gift

Stainless steel etched hand trowel, packaged to make the perfect gift

- Mirror polished stainless steel resistance
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist straps
- Merchandiser available



10 YEAR



Cutting gift sets combine secateurs with a wide range of other cutting tools to create the perfect choice for any requirement

MINI3PS - 3 Piece Stainless Mini Hand Tool Set

- Small Trowel, Cultivator & Transplanting Trowel
- Stainless heads for minimal soil adhesion
- 10 Year Guarantee



SCISSORS3PS - 3 Piece **Scissors Set**

Set includes snips, general purpose scissors and multi-purpose scissors that include a bottle opener, can opener and nut cracker.

- Stainless steel blades
- Ideal for use in the home or garden
- Ergonomic soft feel handles for comfort



CUTTINGSET15 -Occasions Set

Anvil Secateurs and Bypass Secateurs Set

- Anvil action less twisting on woody stems
- Bypass action less bruising on green stems
- SK5 carbon steel blade for lasting sharpness
- PTFE coated blade for smoother cutting and rust resistance
- Ergonomic hardwearing handles
- Ultra compact, ideal for precision pruning



4941MP - Mini Pruner Set with mini secateurs and mini snips

- Carbon steel blade
- PTFE coated blade for rust resistance



CUTTINGSET18 -Nylon Fibreglass Secateurs and Loppers

- · Ratchet loppers for cutting thicker, harder branches





166

Garden Tidy Once you've used our superb range of garden cutting, digging and cultivating tools, you'll need to tidy up. Our Garden Tidy Range helps keep your garden neat and tidy whatever the season. PANAGE SOOF WINNER

Garden Tidy Range

3 in 1 Plastic Rake

An innovative, multi-purpose tool that makes clearing away the autumn leaves a whole lot easier.









3IN1RAKE

- Multi purpose rake featuring:
- 30" Leaf Rake ideal for lawns,- Shrub Rake for flower beds and tighter spaces- Detachable 11" Leaf Grabbers
- Patented modular rake head design
- Strong but lightweight tubular aluminium handle
- Long non-slip comfort grips



Garden Tidy

Range

Everything you need to keep your garden looking at it's best...

LEAFGRABBER -Plastic Leaf Grabber

- 500mm (191/2") wide collecting blades
- Overall length of 920mm (36") which allows user to collect up leaves without bending



4865RB -Rake Brush

- Curved bristles for enhanced sweeping action
- · Telescopic extending handle to suit the user
- Compact size when handle is retracted for easy storage when not in use



4866PR -Ergowide Plastic Leaf Rake

- 25 strong but flexible tines
- Extra wide head covers a greater area helping to save time and effort when tidying the lawn
- Extra long handle reduces the need to bend helping to avoid back strain



LITTERPICKER - Litter Picker



4859PC - Block Paving Cleaner

Hardwood head and handle



4864GB - Garden Brush

- 275mm (10 7/8") Beech head
- 75mm polypropylene bristles combined with 70mm wire bristles for enhanced performance
- Metal bracket for strength
- Weatherproofed 1445mm (57") hardwood handle



BUCKETB -10L Blue Collapsible Bucket

- · Highly portable and folds flat for easy storage
- Perfect for gardening, cleaning, camping and caravaning
- Made from a heavy duty, non-porous silicone material
- Plastic rim and base provide extra strength
- Easy pour rim helps keep liquid on target when pouring out



BUCKETP -10L Pink Collapsible Bucket

- · Highly portable and folds flat for easy storage
- Perfect for gardening, cleaning, camping and caravaning
- Made from a heavy duty, non-porous silicone material
- Plastic rim and base provide extra strength
- Easy pour rim helps keep liquid on target when pouring out



BUCKETG -10L Green Collapsible Bucket

- Highly portable and folds flat for easy storage
- Perfect for gardening, cleaning, camping and caravaning
- Made from a heavy duty, non-porous silicone material
- Plastic rim and base provide extra strength
- Easy pour rim helps keep liquid on target when pouring out





Garden Tidy

Range

Expanding Lawn Rake

A useful adaptation of a traditional lawn rake that offers flexible solutions to tidying lawns and borders












EXPRAKE -Expanding Lawn Rake

- Adjustable rake head and handle length
- 15 zinc-plated steel tines
- Tine span fully open 575mm (22")
- Tine span fully closed 180mm (7")
- Maximum handle length fully extended 550mm (61")
- Minimum handle length when retracted 1215mm (47")

A range of products designed to help you keep your garden tidy, from tool hooks to dust pans...

DUSTPAN -Dustpan and Brush

- Brush pan features reinforced front edge for durability
- Extra deep for increased capacity
- · Wooden handle brush with bassine bristles
- Ideal for general tidying of garden cuttings and light debris



TOOLHOOKS -5 Double Hooks

- 5 Double hooks & fixing screws
- Zinc plated for rust resistance



ACCESS71PS -71 Piece Garden Accessories Kit

- 25 x Large Plant Clips
- 25 x Small Plant Clips
- 20 x Plant Ties 225mm (9")
- Coated Wire Plant Tie 30m (98ft)



- STRING -Garden String
- 75m x 2mm ø String
- Ideal for various jobs around the garden
- Self colour no troublesome dyes



SPREADER -1.5 Litre Seed Spreader

- Adjustable lid settings to accomodate different seed sizes
- Easy to gauge when to refill
- · Handy seed scoop included



4863PS -Small Poop Scoop

- 2 part set comprising collection pan and scoop rake
- Tubular steel handles for strength and durability
- Long handles reduce the need to bend down to collect waste
- Double riveted pan for added strength
- Pan and rake clip together and have handy hooks for convenient storage



4864PS -Large Poop Scoop

- 2 part set comprising collection pan and scoop rake
- Tubular steel handles for strength and durability
- Long handles reduce the need to bend down to collect waste
- Double riveted pan for added strength
- Pan and rake clip together and have handy hooks for convenient storage





Pressure Sprayers The Spear & Jackson range of garden pressure sprayers comes in 2-litre, 5-litre, 8-litre and 15-litre options, catering for all sizes of gardens. Make weed control and plant feeding simple with these pump-action sprays, featuring adjustable straps for ease and comfort.

Watering & Irrigation

Pressure Sprayers

5 Litre Pressure Sprayer Twin Pack

5LPAPSTWIN

Keep weed killer and plant food separate with this twin pack of colour coded 5 litre pressure sprayers

- Easy pump actionAdjustable nozzle





5 Litre Garden Pressure Sprayer

5LPAPS

- 5 litre capacityEasy pump action
- Adjustable nozzle
- Adjustable carrying strap & push lock





FULL INSTRUCTIONS ON THE BOTTLE



Watering & Irrigation

Pressure Sprayers

2LPAPS - 2 Litre **Garden Pressure Sprayer**

- · 2 litre capacity
- Easy pump action
- Adjustable nozzle
- Pressure release valve
- Push lock
- Full instructions on the bottle



8LPAPS - 8 Litre Garden Pressure Sprayer

- 8 litre capacity
- · Easy pump action
- Adjustable nozzle
- Pressure release valve
- Adjustable carrying strap and push lock
- Full instructions on the bottle



15LPAPS - 15 Litre **Backpack Style Pressure Sprayer**

- 15 litre capacity
- Easy pump action



5LPAPSWOOD - 5 Litre Pressure Sprayer for Wood Stain

Suitable for spraying water and chemicals with pH values between 5 and 9, including water-based wood stains.



- Easy pump action
- · Built in pressure gauge
- · Brass wand and nozzle with adjustable angled head
- Foot plates for stability
- Adjustable carrying strap
- Press release safety valve
- Full instructions on the bottle





2LPAPSKIT

6 piece set of spare 0 rings and seals to fit 2 Litre Pump Action **Pressure Sprayers**



58LPAPSKIT

11 piece set of spare 0 rings and seals to fit 5 and 8 Litre Pump **Action Pressure Sprayers**



5LPAPSWOODKIT

13 piece set of spare 0 rings and seals to fit 5 Litre Wood Stain **Pump Action Pressure Sprayers**



15LPAPSKIT

19 piece set of spare 0 rings, seals and spare parts to fit 15 Litre Backpack Style Pump **Action Pressure Sprayers**





Watering & Irrigation

Hose Attachments & Brass Water Fittings

Hose attachments for garden watering including a spray gun and sprinkler.

BWF19 -**Spray Gun**

- · Adjustable flow soft grip metal body
- Durable brass connector



BWF26 -**Multi Function Spray Gun**

A choice of seven flow functions for all your watering needs: mist, jet, cone, shower, flat, centre and soaker.

 Contoured soft grip handle over a metal body for durability and a comfortable grip



BWF22 -**Oscillating Sprinkler**

- 18 Nozzles
- Aluminium tube



BWF23 -Spare O Rings, 20 Pack

· Compatible with brass water fittings: BWF2, BWF3, BWF5, BWF7, BWF8, BWF9, BWF10, BWF11, BWF12, BWF14, BWF18, BWF19, BWF20, BWF21, BWF22







Watering & Irrigation

Brass Water Fittings

We offer a variety of sizes of quality brass connectors and repairers for different sized taps and hoses.

BWF1 - ½" Female Hose Connector



BWF5 -

BWF8 -

BWF2 -

1/2" Male Hose Connector

BWF3 - 1/2" Female and 1/2" Male Hose Connector



BWF10 - 5/8" Female Threaded **Tap Connector**



BWF12 - ½" Male Threaded **Tap Connector**







BWF4 -34" Female Hose Connector



34" Male Hose Connector

BWF6 -**Hose Connector & Water Stop**



BWF14 - ¾" Two Way **Tap Connector**

BWF15 - Tap Connector With Hose Clip









BWF7 -34" Double Male Hose Connector



Triple Male Hose Connector

BWF9 - ½ Female Threaded Tap Connector



BWF16 - 1/2" Hose Repairer



BWF17 - 34" Hose Repairer **BWF18 - Spray Nozzle**





Landscaping and Fencing

Spades and Shovels

Professional quality landscaping & fencing tools for sustained use





1570AL - Digging Fork



2029RW - Square Mouth No.2 Shovel

- MYD Handle
- · Extra long socket adds strength at the potentially weakest point
- Made from high strength carbon/manganese steel
- Heat treated tempered steel for a longer life
- Powder coated head for reduced soil adhesion and rust
- Fully forged head for added strength
- Weatherproofed hardwood shaft for greater durability





Landscaping & Fencing

Root Breaker, Picks and Cultivating

Choose a Root Breaker to tackle tough root problems and protect your spades and forks from the damage caused by excessive levering

2422NB -

Root Breaker

- 100mm (4") wide, heavy duty forged carbon steel
- Tubular steel shaft
- Tilted ergonomic hilt for easier use



Overall length 1160mm (45 ½")

• Heat treated carbon steel

7lb Chisel & Point

- Weight 3.2kg (7lbs)

5000BT -

- For use with pick handle 5020AP



5002AE -**5lb Grubbing Mattock**

- Heat treated carbon steel
- Weight 2.3kg (5lbs)
- For use with pick handle 5020AP
- Ideal for breaking up heavy



5020AP -**Pick Handle**

- Hardwood for use with 5000BT and 5002AE
- Length 910mm (36")



3540BT -**Dutch Hoe**

- Long handle
- · Carbon steel head and socket
- Hammer finish epoxy coated head for resistance to rust. scratches, humidity and alkalis in soil
- Weatherproofed hardwood shaft for greater durability



3840EY -**Soil Rake**

- · Long handle
- Solid forged carbon steel head
- Hammer finish epoxy coated head for resistance to rust. scratches, humidity and alkalis in soil
- Weatherproofed hardwood shaft for greater durability
- 14 teeth



3805AS -**Edging Iron**

- T handle
- Solid forged carbon steel head
- · Hammer finish epoxy coated head for resistance to rust, scratches, humidity and alkalis in soil
- Weatherproofed hardwood shaft for greater durability



3872HD - Heavy Duty **Flexo Lawn Rake**

- Two handle sizes 48" & 54"
- Heat treated tines for strength, maintaining shape and flexibility
- 20 tines wrap around the rivets at the back plate for durability
- Weatherproofed hardwood shaft for greater durability



Landscaping Rake

8208ST -

- · Carbon steel head for strength
- · Metal brackets for increased riaidity
- · Epoxy painted head for rust resistance
- Weatherproofed wood handle for extended life
- 18 teeth steel



PHAUG -**Post Hole Auger**

Professional quality tools for reliable, sustained use.

For digging fencing post holes up to 6" (150mm) in diameter

· Long durable yet lightweight tubular steel shaft for ease

· Hardened steel blades Ash wood handles provide a firm grip Weatherproofed hardwood handles for durability

PHD-WH -

need for backfill

remove soil

Post Hole Digger

For producing deep, narrow,

vertical holes minimising the

Steel shovel blades quickly

PHR5 -**Post Hole Rammer**

For driving fencing posts up to 6" (150mm) diameter into heavy ground

- Two large handles for ease
- Strong tubular steel body with solid metal end cap for maximum strength.



RMAUL -**Rubber Maul**

For laying and levelling paving stones

· Large cylindrical head made of high grade rubber



FG-HD54 -**Fencing Grafter**

For digging narrow, deep holes for fencing posts

 Heavy duty tubular steel handle for maximum strength and efficiency






Agricultural

Tools

A wide range of manure forks and drags for every requirement



1636DE - Manure Fork PY

For raking manure

- Handle Length: 810mm (32")
- Head Size: 330mm (13") x 230mm (9"
- Powder coated square tines
- Tubular steel shaft

1636AY - Manure Fork PT

For raking manure

- Handle Length: 810mm (32")
- Head Size: 330mm (13") x 230mm (9")
- Powder coated square tines
- Tubular steel shaft

1609CS - Manure Drag LK

For raking manure

- Handle Length: 1830mm (72")
- Head Size: 130mm (5") x 178mm (7") x 203mm (8")
- Powder coated square tines
- · Weatherproofed hardwood shaft



1636CU - Tubular Manure Drag

- Handle Length: 1220mm (48")
- Head Size: 330mm (13") x 230mm (9")
- · Lightweight for general use
- Powder coated oval tines
- Tubular steel shaft

1600HS - Manure Fork LK

- Handle Length: 1220mm (48")
- Head Size: 330mm (13") x 240mm (9½")


- · Round shoulders for ease of use

1600FD - Manure Fork T

Traditional tool for moving straw bales

- Handle Length: 810mm (32")
- Head Size: 330mm (13") x 240mm (91/2")
- · Powder coated oval tines





- Weatherproofed hardwood shaft



Agricultural

Tools

A wide range of short and long handled brush cutting tools



4550AP -**Stafford Bill Hook**

For hedgerow maintenance and hedge laying

- Handle Size: 150mm (6")
- Blade Size: 255mm (10")
- Handle: round grip
- Double edged blade



4501BZ -**Newton Bill Hook**

For hedgerow maintenance and hedge laying

- Handle Size: 150mm (6")
- Blade Size: 255mm (10")
- Handle: pistol grip
- Single edged blade




4516AZ -**Southern Counties Bill Hook**

For hedgerow maintenance and hedge laying

- Handle Size: 150mm (6")
- Blade Size: 255mm (10")
- Handle: pistol grip
- Single edged blade
- Powder coated head
- Solid socket



4605BU -**Irish Slasher** Ideal for thinning, trimming and clearing brush thickets • Handle Length: 760mm (30") • Blade Size: 380mm (15") Powder coated head Solid forged socket Weatherproofed handle



4700BU -**Fussel Bristol Reap**

Used to cut through rough grass and weeds

• Handle Size: 150mm (6") • Blade Size: 380mm (15") · Handle: round grip • Forged, flat blade with through tang Hardwood handle

2521WE -**Square Mouth No. 6**

- Handle Type: PYD
- Blade Size: 370mm (141/2") x 305mm (12")

- Weatherproofed hardwood shaft





Agricultural

Tools

Plantation

Tools

Forks, shovels and brush hooks for agricultural use

8206AH - Alloy Hay Rake 1602BA - Hay Fork Traditional tool for moving straw Ideal for collecting straw, hay and bales and hay grass cuttings • Handle Length: 1370mm (54") Head Size: 120mm (4¾") x 700mm (27½") Head Size: • Handle Length: 1778mm (70") 242mm (9½") x 140mm (5½") • Tooth Length: 85mm (33/8") Powder coated oval tines Weatherproofed hardwood shaft • Lightweight for ease of use Round shoulders for ease of use • Extra long shaft







Handle Type: PYD Handle Length: 711mm (28") Head Size: 305mm (12.5") x 240mm (9.5") Round mouth, solid socket Solid forged Weatherproofed hardwood shaft Handle Length: 810mm (32") Head Size: 320mm (12.5") x 255mm (10") Open socket Square mouth Weatherproofed hardwood shaft Weatherproofed hardwood shaft



Specialised Shovels and forks ideal for plantation use





192

Plantation

Tools

Plantation Machetes

Specialist plantation tools and Banjo Forks

3677BA - Yam Spade 3678AV - Tonga Field Hoe • Blade Size: 190mm (7.5") • Blade Size: 178mm (7") · Self tanged, self colour Solid forged, powder coated Heads only Heads only 1635AL - Banjo Plantation Fork 1702FLW - Banjo Fork Handle Type: Wood MYD • Handle Type: Wood R.E.H. • Head Size: 336mm (13.2") x 235mm (9.2") • Head Size: 340mm (131/4") x 230mm (9") • Handle Length: 820mm (32.3") • Strap Size: 530mm (21") · Grey hammer powder coated head • Handle Length: 787mm (31") • 5 Rivets

4774BM - Cocoa Pruner

- Blade Size: 89mm (3.5") • Forged head, powder coated
- Heads only



1631CP - Banjo Plantation Fork

- Handle Type: Strapped
- Handle Length: 785mm (31")
- Head Size: 336mm (13.2") x 235mm (9.2")



Black powder coated head

20/22" - Machete

• Blade Size: 565mm (22")

Edge sharpened and tempered

• 2.5mm thick roll forged blade

Hardened for strength and reliability

Made from steel

• Blade Size: 500mm (20") • Blade Size: 508mm (20")

Our range of Machetes, all made from steel

• Blade Size: 559mm (22")

20/22" - Machete

- Made from steel
- Edge sharpened and tempered



SJ120219 - 19" Machete

• Blade Size: 457mm (18")

SJ5180718 - 18" Machete

- Made from steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade



SJ23220 - 20" SJ23222 - 22"

- Blade Size: 490mm (19")
- Made from steel
- Edge sharpened and tempered



16/18/20/22" - Machete

- Blade Size: 405mm (16")
- Blade Size: 455mm (18")
- Blade Size: 510mm (20")
- Blade Size: 559mm (22")
- Made from steel
- Edge sharpened and tempered



SJ2100615 - 15" Machete

- Blade Size: 381mm (15")
- Made from steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade





194

Merchandising **Options**

Spear & Jackson Product Packaging

We offer a wide range of merchandising options and point of sale materials to support our stockists.

We have a comprehensive range of merchandisers to suit all applications, from free standing units to counter top and wall mounted.











Our packaging is designed to allow the consumer to handle the product and explore its features and functionality before buying

Try Me Packaging

We design our packaging to allow the customer to really get a feel for the product.





Conditions of Sale (For orders within the United Kingdom and Overseas) In these conditions 'The Seller' means Neill Tools Limited being the Company by whom these goods are sold.

1. GENERAL

(a) The Seller's quotations are not binding on the Seller and a contract ('the contract') will only come into being: (i) in the case of orders to be delivered within the United Kingdom,upon acceptance by the Seller of the Customer's order; or (ii) in the case of orders to be delivered outside the United Kingdom,upon whichever shall be the later of acceptance in writing by the Seller of the Customer's order or notification to the Seller that any letter of Credit (which the Seller may have requested prior to written acceptance of the order) has been opened and that any necessary export or import licence or exchange permit has been granted and the following conditions shall be deemed to be incorporated therein. (b) The Contract will be subject to these conditions. All terms and conditions appearing or referred to in the Customer's order or otherwise stipulated by the Customer shall have no effect. Any variation of the contract must be confirmed in writing by the Seller.

2. PRICES

(a) Where the goods are sold by reference to the Seller's published price list the price payable for the goods shall be the ruling price as published in the price list current at the date of despatch of the goods from the Seller's premises (in the case of orders to be delivered within the United Kingdom) or in the price list current at the date of written acknowledgment of the Customer's order by the Seller (in the case of orders to be delivered outside the United Kingdom). (b) In other cases the price stated in the contract is based on the cost to the Seller of raw materials, fuel and power, transport and labour and all other costs at the date of acceptance of the order or quotation (whichever is earlier). If at the date of despatch of the goods from the Seller's premises there has been any increase in all or any of such costs the price payable for (the goods may at the request of the Seller be increased accordingly. (c) Where the price for the goods is varied in accordance with this condition the price as varied shall be binding on both parties and shall not give either party any option of cancellation. (d) Unless specifically agreed otherwise there shall be added to the price for the goods any value added tax and any other tax or duty relating to the manufacture, transportation, export, import sale or delivery of the goods (whether initially charged on or payable by the Seller to the Customer). The price for the goods includes delivery to the Customer's works or in the case of orders from outside the United Kingdom the price includes delivery F.O.B. UK port. Where expedited delivery is required by the Customer, the extra cost for the expedition of the delivery shall be borne by the Customer and added to the price for the goods. (e) Quotations in a currency other than Sterling are based on the rate of exchange fixed by the Seller at the time of acknowledging in writing the Customer's order and unless otherwise stated the price may be subject to revision by the Seller up or down if any different rate of exchange is ruling at the date of invoice

3. TERMS OF PAYMENT

Prices quoted are net and are in Sterling unless otherwise agreed Subject to credit being approved accounts are due for payment not later than the end of the month following the month of invoice otherwise payment must be received by the Seller before delivery. When deliveries are spread over a period each consignment will be invoiced as dispatched and each month's invoices will be treated as a separate account and be payable accordingly. Failure to pay for any goods or for any delivery or instalment shall entitle the Seller to suspend further deliveries and work both on the same order and on any other order from the Customer without prejudice to any other right the Seller may have. The Seller also reserves the right to charge interest on overdue accounts at the rate of 2% per month. The Seller reserves the right where genuine doubts arise as to a Customer's financial position or in the case of failure to pay for any goods or any delivery or instalment as aforesaid to suspend delivery of any order or any part or instalment without liability until payment or satisfactory security for payment has been provided. Where goods are to be delivered outside the United Kingdom payment must be made against delivery of the goods or shipping documents F.O.B. UK Port unless credit arrangements within the United Kingdom approved by the Seller have been made.

4. TITLE TO GOODS

(a) Legal and beneficial ownership of goods shall remain with the Seller until payment in full has been received by the Seller. (i) for those goods (ii) for any other goods supplied by the Seller (iii) of any other monies due from the Customer to the Seller on any account. (b) Until property in the goods passes to the Customer under paragraph (a) above the Customer Shall: (i) be bailee of the goods (ii) keep the goods separately and readily identifiable as the property of the Seller (c) (i) Notwithstanding paragraph (a) above the Customer may (as between it and its customer only) as principal in the ordinary course of its business sell the goods by bonafide sale at full market value or in the ordinary course of its business use the goods. (ii) Goods shall be deemed sold or used in the order delivered to the Customer. (iii) Without prejudice to (c)(ii) above, any resale by the Customer of goods in which property has not passed to the customer shall (as between the Seller and the Customer) be made by the Customer as agent for the Seller. (d) (i) If goods in which property has not passed to the Customer are mixed with or incorporated into other goods the property in those other goods shall be held on trust by the Customer for the Seller to the full extent of the sums recoverable by the Seller under paragraph (a) above. (ii) The proceeds of sale of any goods and any other goods referred to in paragraph (d)(i) above shall be held by the Customer in trust for the Seller to the extent of all sums recoverable by the Seller under paragraph (a) above. (iii) The Customer shall keep any proceeds of sale as referred to in paragraph (d) (ii) above in a separate account and the Seller shall have the right to trace such proceeds. (iv) Upon accounting to the Seller for the entire proceeds of sales made under paragraphs (c)(iii) and (d)(i) above the Customer will pay to the Seller a commission equivalent to the difference between the sums owed to the Seller and the value of such proceeds. (e) The Customer assigns to be Seller all rights and claims the Customer may have against it own customers and others in respect of goods specified in paragraphs (c)(ii) and (d)(i) above. (f) At any time prior to property in goods passing to the Customer (whether or not any payment to the Seller is then overdue or the Customer's otherwise in breach of any obligation to the Seller) the Seller may without prejudice or any other of its rights: (i) retake possession of all or any part of the goods and enter any premises for that purpose (or authorise others to do so) which the Customer hereby authorises (ii) require delivery up to it of all or any part of the goods (iii) terminate the Customer's authority to resell or use the goods forthwith by written notice to the Customer which authority shall automatically terminate (without notice) upon any insolvency of the Customer or it going into liquidation (as defined in the insolvency Act 1986) or it having a receiver or administrative receiver appointed or it becoming subject to an administration order or calling a meeting of its creditors or any execution or distress being levied on goods in its possession. (g) The Seller may at any time appropriate sums received from the Customer as it thinks fit notwithstanding any purported appropriation of the Customer. (h) Each paragraph and subparagraph of this clause is separate severable and distinct.

5. WARRANTY - LIMIT OF RESPONSIBILITY;

(a) The Seller warrants that it will (at the Seller's choice) either repair or replace or refund the full purchase price of any goods which are found in relation to the supply of goods within a period of 12 months from despatch of such goods from the Seller's premises (the warranty period) to be defective or not in accordance with the contract or any express description or representation given or made by or on behalf of the Seller in respect of the goods save that this warranty shall not apply where the defect or fault is attributable to defective materials supplied by third parties where the Customer's only remedy will be against that third party. The Customer's remedies in respect of any claim under the foregoing express warranty or any condition or warranty implied by law or any other claim in respect of the goods or any workmanship in relation thereto (whether or not involving negligence on the part of the Seller) shall in all cases be limited to repair, replacement or refund of the purchase price as aforesaid and any condition or warranty implied by law shall cease to apply after the expiry of the warranty period; and the Seller shall not in any circumstances be liable for any damages, compensation, costs, expenses, losses or other liabilities, whether direct or consequential, and any other remedy which would otherwise be available in law is hereby excluded except to the extent that such exclusion is prohibited by any rule of law. A claim in respect of any defect or failure to comply with the specification or in respect of any delivery or instalment of any order or any part thereof shall not entitle the Customer to cancel or refuse delivery of or payment for any other order, delivery or instalment or any part of the same order, delivery or instalment. (b) Any guarantee or warranty expressly given to the end-user of any product made by the Seller is expressly excluded from these conditions and shall not be for he benefit of the Customer.

6. DELIVERY AND COMPLETION DATES

(a) The delivery dates specified in the contract are approximate only and unless otherwise expressly stated, time is not of the essence for delivery. The Seller will not be liable in any circumstances for the consequences of any delay in delivery or failure to deliver. (b) No delay shall entitle the Customer to reject any delivery or any further instalment or part of the order or any other order from the Customer or to repudiate the contract or the order.

7. DAMAGE - SHORTAGE OR LOSS IN TRANSIT

(a) In the case of sales to Customers within the United Kingdom risk in the goods passes on despatch from the Seller's works and the Seller accepts no responsibility for any damage or loss in transit. Where relevant claims for damage or loss in transit should be made on any carrier employed by the Seller and any conditions imposed by such carrier in relation to claims for damage or loss in transit should be complied with. (b) In the case of sales to Customers outside the United Kingdom risk passes at the point specified in the contract and the Seller will entertain a claim by the Customer in respect of loss or damage in transit only if the Customer: (i) gives written notice to the Seller within 21 days of non-delivery or within 7 days of the delivery in any other case and; (ii) where the goods are transported by an independent freight carrier, complies in all respects with the freight carrier's conditions of carriage for notifying claims for loss or damage in transit.

8. DELAYED ACCEPTANCE

If for any reason the Customer is unable to accept delivery of the goods when the goods are due and ready for delivery the Seller may arrange storage of the goods at the Customer's risk and the Customer shall be liable to the Seller for the, reasonable costs (including insurance) of such storage. This provision is without prejudice to any other right which the Seller may have in respect of the Customer's failure to take delivery of the goods or pay for them in accordance with the contract.

9. TERMINATION

If the Customer enters into a deed or arrangement or commits an act of bankruptcy or compounds with his creditors or if a receiving order is made against him or (being a company) it shall pass a resolution or the Court shall make an order that the Customer shall be wound up (otherwise than for the purposes of amalgamation or reconstruction) or shall become subject to an administration order or if a receiver (including an administrative receiver) shall be appointed of any of the assets or undertaking of the Customer or if circumstances shall arise which entitle the Court or a Creditor to appoint a receiver (including an administrative receiver) or a manager or which entitle the Court to make a winding up order or if the Customer takes or suffers any similar action in consequence of debt or if the financial responsibility of the Customer shall in the opinion of the Seller become impaired or if the Customer shall commit any breach of any part of the contract the Seller may without prejudice to its rights and remedies hereunder stop all goods in transit and suspend further deliveries and by notice in writing to the Customer may forthwith terminate the contract.

10. TOLERANCES AND TESTS

Unless otherwise specifically agreed all tests, test pieces and inspections whatsoever required by the Customer will be charged extra. All tests and inspections (whether or not being tests of chemical composition) shall take place under the Seller's standard testing arrangements, and such tests shall be final. All tests are subject to analytical tolerances.

11. PATENTS

The Customer shall indemnify the Seller against all actions, costs (including the cost of defending any legal proceedings) claims proceedings, accounts & damages in respect of any infringement of alleged infringement of any patent, registered design, unregistered design, design right, copyright, trademark or other industrial

or intellectual property rights resulting from compliance by the Seller with the Customer's instructions, whether express or implied.

Spear & Jackson

Terms & Conditions

12. INDEMNITY

The Customer agrees upon demand to indemnify the Seller against all losses,damages,injury,costs and expenses of whatever nature suffered by the Seller to the extent that the same are caused by or related to (i) designs, drawings or specifications given to the Seller by the Customer in respect of goods produced by the Seller for the Customer; or (ii) defective materials or products supplied by the Customer to the Seller and incorporated by the Seller in goods produced by the Seller for the Customer; or (ii) the improper incorporation assembly, use, processing, storage or handling of goods by the Customer.

13. NON-STANDARD ORDERS

Where the Customer orders goods or materials of a type, size or quality not normally produced by the Seller will use all reasonable endeavours to execute the order, but if it proves impossible, impracticable or uneconomical to carry out or complete the order, the Seller reserves the right to cancel the contract or the uncompleted balance thereof in which event the Customer will only be liable to pay for the part thereof actually delivered.

14. PATTERNS, DIES, TOOLS, DRAWINGS & EQUIPMENT

(a) Where the Customer supplies patterns, dies, tools, drawings or equipment the Seller shall be entitled to assume that the same are in good condition, true to drawing and entirely suitable to the Seller's methods of production, and for the production of the goods ordered in the quantities required. (b) While the Seller uses all reasonable endeavours to verify patterns, dies, tools, drawings and equipment supplied by the Customer no responsibility is accepted by the Seller for their accuracy. (c) All replacements, alterations and repairs to the Customer's patterns, dies, tools, drawing and equipment shall be paid for by the Customer. (d) Where the patterns, dies, tools, drawings and equipment are not supplied by the Customer only those which are specially made by the Seller and separately charged to the Customer in full shall, when paid for by the Customer become the property of the Customer. (e) Carriage on patterns, dies, tools and equipment supplied by the Customer will be paid by the Seller in one direction only. (f) The Seller will take all reasonable care of the Customer's patterns, dies, tools, drawings and equipment while in the Seller's possession but does not accept liability for loss or damage thereto, howsoever arising, except where neglect on the part of the Seller or its agents was the direct cause of loss or damage and in those circumstances the Seller's liability shall be limited to the actual cost of replacement or repair to the exclusion of all other expenses, consequential losses, loss of profits and other expenses, liabilities and losses howsoever arising. (g) The Seller reserves the right to destroy or otherwise dispose of patterns, dies, tools, drawings and equipment in its possession of custody (whether or not the property of the Customer) from which the Customer has not required goods to be made for a period of 12 months or more in the case of patterns and three years or more in all other cases

15. PACKING

The Seller uses its best endeavours to ensure, where necessary suitability of packing before despatch but no claim will be accepted by the Seller for breakage or damage in transit on the ground of alleged unsuitability for packing

16. SUB-CONTRACTING

The Seller shall be entitled to sub-contract any work relating to the contract without obtaining the consent of, or giving notice to, the customer.

17. APPLICABLE LAW

The contract shall in all respects be governed by and construed in accordance with English Law and the Customer hereby submits to the non-exclusive jurisdiction of the English Courts.





Spear & Jackson UK Ltd. Atlas Way, Atlas North Sheffield S4 7QQ England

Tel: +44 (0)1142 814242 Fax: +44 (0)1142 814252

Email: sales@spear-and-jackson.com

www.spear-and-jackson.com

Spear & Jackson France Le Coin, 42400 Saint Chamond ZI BP 82, St Chamond, France

Spear & Jackson Australia PO BOX 4400 Dandenong South, Victoria 3175 Australia

Spear & Jackson New Zealand 18 Barrhead Place Avondale, Auckland New Zealand



SPEAR & JACKSON products are guaranteed against defects in manufacturing, subject to wear and tear and the provision of reasonable care and maintenance.

This does not affect your statutory rights.

Due to continuous product development and improvement, Spear & Jackson reserves the right to modify product design, specifications and materials without prior notice.